

## Bibliography<sup>1</sup> of prairie insect studies

<sup>1</sup> Pro bono contribution by Timothy D. Hatten, Ph.D., CEO of Invertebrate Ecology Inc., and Board of Directors of the Palouse Prairie Foundation

This bibliography references manuscripts published primarily between 1955 and 2011. It was generated by a title/key word/abstract search, using the key words 'prairie' and 'Coleoptera,' 'Hymenoptera,' 'Diptera,' 'Lepidoptera,' 'Homoptera,' 'Hemiptera,' 'Neuroptera,' 'Dermaptera,' 'Plecoptera' and 'Tricoptera', etc., for all insect Orders. Additionally, this bibliography includes select Ph.D. dissertations and proceedings on the subject of prairie insects. Note that for publication purposes this bibliography would need additional editing prior to use.

For interested parties, this bibliography is also posted at Invertebrate Ecology Inc.'s website ([www.invertebrateecology.com](http://www.invertebrateecology.com)) where additional publications by Tim can be found along with information on his company.

### References

- Adler, P. H., D. Roach, W. K. Reeves, J. P. Flanagan, M. E. Morrow, and J. E. Toepfer. 2007. Attacks on the endangered Attwater's Prairie-Chicken (*Tympanuchus cupido attwateri*) by black flies (Diptera : Simuliidae) infected with an avian blood parasite. *Journal of Vector Ecology* 32: 309-312.
- Allen, C. R., S. Demarais, and R. S. Lutz. 1997. Effects of red imported fire ants on recruitment of white-tailed deer fawns. *Journal of Wildlife Management* 61: 911-916.
- Allen, C. R., R. S. Lutz, T. Lockley, S. A. Phillips, and S. Demarais. 2001. The non-indigenous ant, *Solenopsis invicta*, reduces loggerhead shrike and native insect abundance. *Journal of Agricultural and Urban Entomology* 18: 249-259.
- Andersen, A. N., J. A. Ludwig, L. M. Lowe, and D. C. F. Rentz. 2001. Grasshopper biodiversity and bioindicators in Australian tropical savannas: Responses to disturbance in Kakadu National Park. *Austral Ecology* 26: 213-222.
- Anderson, D. J., and B. Vondracek. 1999. Insects as indicators of land use in three ecoregions in the prairie pothole region. *Wetlands* 19: 648-664.
- Andreassen, L. D., U. Kuhlmann, J. W. Whistlecraft, J. J. Soroka, P. G. Mason, O. O. Akinremi, and N. J. Holliday. 2010. Spring emergence of Canadian *Delia radicum* and synchronization with its natural enemy, *Aleochara bilineata*. *Canadian Entomologist* 142: 234-249.
- Aoki, C., F. S. Lopes, A. M. R. de Oliveira, F. L. de Souza, and M. R. Marques. 2011. Nutrient Flux Associated with the Emergence of *Quesada gigas* Olivier (Hemiptera: Cicadidae) in an Urban Ecosystem. *Neotropical Entomology* 40: 436-439.
- Azevedo, F. C. C., V. Lester, W. Gorsuch, S. Lariviere, A. J. Wirsing, and D. L. Murray. 2006. Dietary breadth and overlap among five sympatric prairie carnivores. *Journal of Zoology* 269: 127-135.
- Baker, R. G., D. P. Schwert, E. A. Bettis, T. J. Kemmis, D. G. Horton, and H. A. Semken. 1991. Mid-Wisconsinan stratigraphy and paleoenvironments at the ST Charles site in south-central Iowa. *Geological Society of America Bulletin* 103: 210-220.

- Baker, R. G., E. A. Bettis, D. P. Schwert, D. G. Horton, C. A. Chumbley, L. A. Gonzalez, and M. K. Reagan. 1996. Holocene paleoenvironments of northeast Iowa. *Ecological Monographs* 66: 203-234.
- Ballinger, A., and P. S. Lake. 2006. Energy and nutrient fluxes from rivers and streams into terrestrial food webs. *Marine and Freshwater Research* 57: 15-28.
- Bangert, R. K., and C. N. Slobodchikoff. 2004. Prairie dog engineering indirectly affects beetle movement behavior. *Journal of Arid Environments* 56: 83-94.
- Barker, C. M., B. G. Bolling, W. C. Black, C. G. Moore, and L. Eisen. 2009. Mosquitoes and West Nile virus along a river corridor from prairie to montane habitats in eastern Colorado. *Journal of Vector Ecology* 34: 276-293.
- Barnes, J. K. 2008. The genus *Atomosia* Macquart (Diptera : Asilidae) in North America north of Mexico. *Proceedings of the Entomological Society of Washington* 110: 701-732.
- Bataille, K. J., and G. A. Baldassarre. 1993. Distribution and abundance of aquatic macroinvertebrates following drought in 3 prairie pothole wetlands. *Wetlands* 13: 260-269.
- Baum, K. A., W. L. Rubink, R. N. Coulson, and V. M. Bryant. 2004. Pollen selection by feral honey bee (Hymenoptera : Apidae) colonies in a coastal prairie landscape. *Environmental Entomology* 33: 727-739.
- Baum, K. A., W. L. Rubink, M. A. Pinto, and R. N. Coulson. 2005. Spatial and temporal distribution and nest site characteristics of feral honey bee (Hymenoptera : Apidae) colonies in a coastal prairie landscape. *Environmental Entomology* 34: 610-618.
- Baum, K. A., W. L. Rubink, and R. N. Coulson. 2006. Trapping of feral honey bee workers (Hymenoptera : Apidae) in a coastal prairie landscape: effects of season and vegetation type. *Canadian Entomologist* 138: 228-234.
- Baum, K. A., W. L. Rubink, R. N. Coulson, and V. M. Bryant. 2011. Diurnal patterns of pollen collection by feral honey bee colonies in southern Texas, USA. *Palynology* 35: 85-93.
- Baxter, C. V., K. D. Fausch, and W. C. Saunders. 2005. Tangled webs: reciprocal flows of invertebrate prey link streams and riparian zones. *Freshwater Biology* 50: 201-220.
- Beard, M. L., S. T. Rose, A. M. Barnes, and J. A. Montenieri. 1992. Control of *Oropsylla-Hirsuta*, a plague vector, by treatment of prairie dog burrows with 0.5-percent permethrin dust. *Journal of Medical Entomology* 29: 25-29.
- Beckerman, A. P. 2000. Counterintuitive outcomes of interspecific competition between two grasshopper species along a resource gradient. *Ecology* 81: 948-957.
- Benson, T. J., J. J. Dinsmore, and W. L. Hohman. 2007. Responses of plants and arthropods to burning and disking of riparian habitats. *Journal of Wildlife Management* 71: 1949-1957.
- Beshkar, M. 2008. Animal consciousness. *Journal of Consciousness Studies* 15: 5-33.
- Bess, J. A., and K. G. A. Hamilton. 1999. A new *Flexamia* (Homoptera : Cicadellidae : Deltocephalinae) from Southern Michigan. *Great Lakes Entomologist* 32: 9-14.
- Bess, J. A., K. M. O'Neilll, and W. P. Kemp. 2004. Leafhopper assemblages on native and reseeded grasslands in southwestern Montana. *Western North American Naturalist* 64: 518-531.

- Borkowsky, C., and A. R. Westwood. 2009. SEED CAPSULE PRODUCTION IN THE ENDANGERED WESTERN PRAIRIE FRINGED ORCHID (*PLATANTHERA PRAECLARA*) IN RELATION TO SPHINX MOTH (LEPIDOPTERA: SPHINGIDAE) ACTIVITY. *Journal of the Lepidopterists Society* 63: 110-117.
- Bossenbroek, J. M., H. H. Wagner, and J. A. Wiens. 2005. Taxon-dependent scaling: beetles, birds, and vegetation at four North American grassland sites. *Landscape Ecology* 20: 675-688.
- Bostanian, N. J., C. Vincent, G. Chouinard, and G. Racette. 1999. Managing apple maggot, *Rhagoletis pomonella* [Diptera : Tephritidae], by perimeter trapping. *Phytoprotection* 80: 21-33.
- Bostanian, N. J., and G. Racette. 2001. Attract and kill, an effective technique to manage apple maggot, *Rhagoletis pomonella* [Diptera : Tephritidae] in high density Quebec apple orchards. *Phytoprotection* 82: 25-34.
- Brand, R. H., and C. P. Dunn. 1998. Diversity and abundance of springtails (Insecta : Collembola) in native and restored tallgrass prairies. *American Midland Naturalist* 139: 235-242.
- Brand, R. H. 2002. The effect of prescribed burning on epigeic springtails (Insecta : Collembola) of woodland litter. *American Midland Naturalist* 148: 383-393.
- Brandt, J. P., H. F. Cerezke, K. I. Mallett, W. J. A. Volney, and J. D. Weber. 2003. Factors affecting trembling aspen (*Populus tremuloides* Michx.) health in the boreal forest of Alberta, Saskatchewan, and Manitoba, Canada. *Forest Ecology and Management* 178: 287-300.
- Brewer, J. S. 1999. Short-term effects of fire and competition on growth and plasticity of the yellow pitcher plant, *Sarracenia alata* (Sarraceniaceae). *American Journal of Botany* 86: 1264-1271.
- Bried, J. T., and G. N. Ervin. 2007. Intraspecific models and spatiotemporal context of size - mass relationships in adult dragonflies. *Journal of the North American Benthological Society* 26: 681-693.
- Brillhart, D. E., and D. W. Kaufman. 1995. SPATIAL AND SEASONAL-VARIATION IN PREY USE BY COYOTES IN NORTH-CENTRAL KANSAS. *Southwestern Naturalist* 40: 160-166.
- Brinkerhoff, R. J., A. B. Markeson, J. H. Knouft, K. L. Gage, and J. A. Montenieri. 2006. Abundance patterns of two Oropsylla (Ceratophyllidae : Siphonaptera) species on black-tailed prairie dog (*Cynomys ludovicianus*) hosts. *Journal of Vector Ecology* 31: 355-363.
- Brinkerhoff, R. J. 2008. Habitat-associated differences in flea assemblages of striped skunks (*Mephitis mephitis*). *Comparative Parasitology* 75: 127-131.
- Broring, U., J. Mrzljak, R. Niedringhaus, and G. Wiegleb. 2005. Soil zoology I: arthropod communities in open landscapes of former brown coal mining areas, pp. 121-133.
- Brown, V. K., and A. C. Gange. 1992. SECONDARY PLANT SUCCESSION - HOW IS IT MODIFIED BY INSECT HERBIVORY. *Vegetatio* 101: 3-13.
- Brown, K. S., G. H. Broussard, B. M. Kard, A. L. Smith, and M. P. Smith. 2008. Colony characterization of *reticulitermes flavipes* (Isoptera : Rhinotermitidae) on a native tallgrass prairie. *American Midland Naturalist* 159: 21-29.
- Brust, M. L., W. W. Hoback, and C. B. Knisley. 2005. Biology, habitat preference, and larval description of *Cicindela cursitans* Leconte

- (Coleoptera : carabidae : cicindelinae). Coleopterists Bulletin 59: 379-390.
- Brust, M. L., and W. W. Hoback. 2010. LARVAL DESCRIPTION AND NEW NEBRASKA DISTRIBUTION RECORDS FOR NEBRASKA'S TIGER BEETLE, CICINDELA NEBRASKANA CASEY (COLEOPTERA CARABIDAE). Coleopterists Bulletin 64: 341-346.
- Bucy, A. M., and M. D. Breed. 2006. Thermoregulatory trade-offs result from vegetation removal by a harvester ant. Ecological Entomology 31: 423-429.
- Bughrara, S. S., D. R. Smitley, and D. Cappaert. 2008. European chafer grub feeding on warm-season and cool-season turfgrasses, native prairie grasses, and pennsylvania sedge. Horttechnology 18: 329-333.
- Burger, J. C., and S. M. Louda. 1995. Interaction of diffuse competition and insect herbivory in limiting brittle prickly pear cactus, *Opuntia fragilis* (Cactaceae). American Journal of Botany 82: 1558-1566.
- Burgess, L. 1977. FLEA BEETLES (COLEOPTERA-CHYSOMELIDAE) ATTACKING RAPE CROPS IN CANADIAN PRAIRIE PROVINCES. Canadian Entomologist 109: 21-32.
- Burgess, L. 1982. OCCURRENCE OF SOME FLEA BEETLE PESTS OF PARKLAND RAPESEED CROPS IN OPEN PRAIRIE AND FOREST IN SASKATCHEWAN (COLEOPTERA, CHYSOMELIDAE). Canadian Entomologist 114: 623-627.
- Burgess, L. 1982. OCCURRENCE OF PHYLLOTRETA-STRIOLATA, THE STRIPED FLEA BEETLE, IN OPEN PRAIRIE, FOREST, AND PARKLAND OF SASKATCHEWAN (COLEOPTERA, CHYSOMELIDAE). Canadian Entomologist 114: 439-446.
- Burgess, L., and D. L. McKenzie. 1991. ROLE OF THE INSECT NYSIUS-NIGER, AND FLIXWEED, DESCURAINIA-SOPHIA, IN INFECTION OF SASKATCHEWAN MUSTARD CROPS WITH A YEAST, NEMATOSPORA-SINECAUDA. Canadian Plant Disease Survey 71: 37-41.
- Callaham, M. A., M. R. Whiles, C. K. Meyer, B. L. Brock, and R. E. Charlton. 2000. Feeding ecology and emergence production of annual cicadas (Homoptera : Cicadidae) in tallgrass prairie. Oecologia 123: 535-542.
- Callaham, M. A., M. R. Whiles, and J. M. Blair. 2002. Annual fire, mowing and fertilization effects on two cicada species (Homoptera : Cicadidae) in tallgrass prairie. American Midland Naturalist 148: 90-101.
- Cameron, G. N. 2003. Prey use by a pair of barn owls (*Tyto alba*) in a Texas coastal habitat. Texas Journal of Science 55: 219-224.
- Campbell, L. A., and L. J. Meinke. 2006. Seasonality and adult habitat use by four *Diabrotica* species at prairie-corn interfaces. Environmental Entomology 35: 922-936.
- Canals, R. M., and M. T. Sebastia. 2002. Heathland dynamics in biotically disturbed areas: on the role of some features enhancing heath success. Acta Oecologica-International Journal of Ecology 23: 303-312.
- Cannings, R. A., and S. G. Cannings. 2006. The Mantispidae (Insecta : Neuroptera) of Canada, with notes on morphology, ecology, and distribution. Canadian Entomologist 138: 531-544.
- Carcamo, H. A., R. Dunn, L. M. Dosdall, and O. Olfert. 2007. Managing cabbage seedpod weevil in canola using a trap crop - A cornmercial field scale study in western Canada. Crop Protection 26: 1325-1334.

- Carrillo, R., R. Alarcon, and M. Neira. 2007. The effects of carabid beetles (Coleoptera : Carabidae) on the arthropod fauna of wheat fields in Chile. *Revista De Biologia Tropical* 55: 101-111.
- Case, R. A., and G. M. MacDonald. 2003. Dendrochronological analysis of the response of tamarack (*Larix laricina*) to climate and larch sawfly (*Pristiphora erichsonii*) infestations in central Saskatchewan. *Ecoscience* 10: 380-388.
- Casman, E. A., and B. Fischhoff. 2008. Risk communication planning for the aftermath of a plague bioattack. *Risk Analysis* 28: 1327-1342.
- Catling, P. M. 2007. Variation of hind-wing colour and length in *Sympetrum internum* (Odonata : Libellulidae) from the Canadian prairie provinces. *Canadian Entomologist* 139: 872-880.
- Catling, P. M., and M. Hughes. 2008. Variation in Canadian *Gomphus fraternus* (Odonata : Gomphidae) in relation to the recognition of subspecies *manitobanus*. *Canadian Entomologist* 140: 327-337.
- Cervenka, V. J., and R. D. Moon. 1991. ARTHROPODS ASSOCIATED WITH FRESH CATTLE DUNG PATS IN MINNESOTA. *Journal of the Kansas Entomological Society* 64: 131-145.
- Cronin, J. T. 2009. Movement, colonization, and establishment success of a planthopper of prairie potholes, *Delphacodes scolochloae* (Hemiptera: Delphacidae). *Ecological Entomology* 34: 114-124.
- Chen, M., A. M. Shelton, R. H. Hallett, C. A. Hoepting, J. R. Kikkert, and P. Wang. 2011. Swede Midge (Diptera: Cecidomyiidae), Ten Years of Invasion of Crucifer Crops in North America. *Journal of Economic Entomology* 104: 709-716.
- Chikoski, J. M., S. H. Ferguson, and L. Meyer. 2006. Effects of water addition on soil arthropods and soil characteristics in a precipitation-limited environment. *Acta Oecologica-International Journal of Ecology* 30: 203-211.
- Chmielewski, J. G., and J. C. Semple. 2004. The biology of Canadian weeds. 130. *Solidago nemoralis* Ait. *Canadian Journal of Plant Science* 84: 1221-1233.
- Chou, R. Y. M., L. C. Ferrington, B. L. Hayford, and H. M. Smith. 1999. Composition and phenology of Chironomidae (Diptera) from an intermittent stream in Kansas. *Archiv Fur Hydrobiologie* 147: 35-64.
- Cielocha, J. J., T. J. Cook, and R. E. Clopton. 2011. Host Utilization and Distribution of Nubenocephalid Gregarines (Eugregarinorida: Actinocephalidae) Parasitizing *Argia* spp. (Odonata: Zygoptera) in the Central United States. *Comparative Parasitology* 78: 152-160.
- Claerbout, A. E., B. L. Todd, J. M. Coons, H. R. Owen, D. W. Webb, J. E. Ebinger, and W. E. McClain. 2010. SURVEYS OF STYLISMA PICKERINGII VAR. PATERSONII (CONVOLVULACEAE), ITS ASSOCIATED PLANT SPECIES, AND ITS INSECT VISITORS. *Rhodora* 112: 228-243.
- Clapperton, M. J., D. A. Kanashiro, and V. M. Behan-Pelletier. 2002. Changes in abundance and diversity of microarthropods associated with Fescue Prairie grazing regimes. *Pedobiologia* 46: 496-511.
- Clark, T. L., and B. E. Hibbard. 2004. Comparison of nonmaize hosts to support western corn rootworm (Coleoptera : Chrysomelidae) larval biology. *Environmental Entomology* 33: 681-689.
- Cole, J. A. 2008. A new cryptic species of cicada resembling *Tibicen dorsatus* revealed by calling song (Hemiptera : Auchenorrhyncha : Cicadidae). *Annals of the Entomological Society of America* 101: 815-823.

- Cook, W. M., and R. D. Holt. 2006. Fire frequency and mosaic burning effects on a tallgrass prairie ground beetle assemblage. *Biodiversity and Conservation* 15: 2301-2323.
- Coupe, M. D., J. N. Stacey, and J. F. Cahill. 2009. Limited effects of above- and belowground insects on community structure and function in a species-rich grassland. *Journal of Vegetation Science* 20: 121-129.
- Cox, G. W., J. N. Mills, and B. A. Ellis. 1992. FIRE ANTS (HYMENOPTERA, FORMICIDAE) AS MAJOR AGENTS OF LANDSCAPE DEVELOPMENT. *Environmental Entomology* 21: 281-286.
- Craig, T. P., J. K. Itami, and J. D. Horner. 2007. Geographic variation in the evolution and coevolution of a tritrophic interaction. *Evolution* 61: 1137-1152.
- Crist, T. O., and J. A. Wiens. 1994. SCALE EFFECTS OF VEGETATION ON FORAGER MOVEMENT AND SEED HARVESTING BY ANTS. *Oikos* 69: 37-46.
- Crist, T. O., and J. A. Wiens. 1995. INDIVIDUAL-MOVEMENTS AND ESTIMATION OF POPULATION-SIZE IN DARKLING BEETLES (COLEOPTERA, TENEBRIONIDAE). *Journal of Animal Ecology* 64: 733-746.
- Christiansen, T., and R. Lavigne. 2010. Effects of the 1988 Fires in Yellowstone National Park, USA, on the Ant Populations (Hymenoptera: Formicidae). *Journal of the Entomological Research Society* 12: 29-37.
- Cromar, H. E., S. D. Murphy, and C. J. Swanton. 1999. Influence of tillage and crop residue on postdispersal predation of weed seeds. *Weed Science* 47: 184-194.
- Cronin, J. T. 2003. Patch structure, oviposition behavior, and the distribution of parasitism risk. *Ecological Monographs* 73: 283-300.
- Cronin, J. T. 2003. Movement and spatial population structure of a prairie planthopper. *Ecology* 84: 1179-1188.
- Cronin, J. T. 2004. Host-parasitoid extinction and colonization in a fragmented prairie landscape. *Oecologia* 139: 503-514.
- Cronin, J. T., K. J. Haynes, and F. Dillemuth. 2004. Spider effects on planthopper mortality, dispersal, and spatial population dynamics. *Ecology* 85: 2134-2143.
- Cronin, J. T., and S. W. Wilson. 2007. Description, life history, and parasitism of a new species of delphacid planthopper (Hemiptera : Fulgoroidea). *Annals of the Entomological Society of America* 100: 640-648.
- Cronin, J. T. 2009. Movement, colonization, and establishment success of a planthopper of prairie potholes, *Delphacodes scolochloae* (Hemiptera: Delphacidae). *Ecological Entomology* 34: 114-124.
- Cunningham, S. A. 1995. Ecological constraints on fruit initiation by *Calyptrogyne ghiesbreghtiana* (Arecaceae): Floral herbivory, pollen availability, and visitation by pollinating bats. *American Journal of Botany* 82: 1527-1536.
- Currie, R. W., and P. Gatien. 2006. Timing acaricide treatments to prevent *Varroa destructor* (Acari : Varroidae) from causing economic damage to honey bee colonies. *Canadian Entomologist* 138: 238-252.
- Danderson, C. A., B. Molano-Flores, and S. Raghu. 2008. Impact of floral herbivory by *Coleotechnites eryngiella* Bottimer (Lepidoptera : Gelechiidae) on the reproductive output of *Eryngium yuccifolium* Michaux (Apiaceae): a test of the reserve ovary model. *Plant Ecology* 197: 277-284.

- Danyk, T., M. Mackauer, and D. L. Johnson. 2005. The influence of host suitability on the range of grasshopper species utilized by *Blaesoxipha atlantis* (Diptera : Sarcophagidae) in the field. Bulletin of Entomological Research 95: 571-578.
- Davis, G. R. 1961. BITING RESPONSE OF LARVAE OF PRAIRIE GRAIN WIREWORM, *CTENICERA AERIPENNIS DESTRUCTOR* (BROWN) (COLEOPTERA - ELATERIDAE), TO VARIOUS EXTRACTS OF GERMINATING RYE SEED. Canadian Journal of Zoology 39: 299-&.
- Davis, G. R. F. 1966. GROWTH AND DEVELOPMENT OF PRAIRIE GRAIN WIREWORM *CTENICERA DESTRUCTOR* BROWN (COLEOPTERA-ELATERIDAE) ON SYNTHETIC DIETS. Canadian Journal of Zoology 44: 995-&.
- Davis, G. R. F. 1968. EFFECTS OF 2,4-D MALEIC ACID HYDRAZIDE AND 2,4,5-T ON SURVIVAL AND GROWTH OF PRAIRIE GRAIN WIREWORM *CTENICERA DESTRUCTOR* BROWN (COLEOPTERA - ELATERIDAE). Canadian Journal of Zoology 46: 747-&.
- Davis, J. D., S. D. Hendrix, D. M. Debinski, and C. J. Hemsley. 2008. Butterfly, bee and forb community composition and cross-taxon incongruence in tallgrass prairie fragments. Journal of Insect Conservation 12: 69-79.
- de los Santos, A., E. J. Alonso, E. Hernandez, and A. M. Perez. 2002. Environmental correlates of darkling beetle population size (Col. Tenebrionidae) on the Canadas of Teide in Tenerife (Canary Islands). Journal of Arid Environments 50: 287-308.
- De Los Santos, A., F. Ferrer, J. P. De Nicolas, and T. O. Crist. 2006. Thermal habitat and life history of two congeneric species of darkling beetles (Coleoptera : Tenebrionidae) on Tenerife (Canary Islands). Journal of Arid Environments 65: 363-385.
- Delettre, Y. R. 1994. FIRE DISTURBANCE OF A CHIRONOMID (DIPTERA) COMMUNITY ON HEATHLANDS. Journal of Applied Ecology 31: 560-570.
- Delibes-Mateos, M., A. T. Smith, C. N. Slobodchikoff, and J. E. Swenson. 2011. The paradox of keystone species persecuted as pests: A call for the conservation of abundant small mammals in their native range. Biological Conservation 144: 1335-1346.
- Desiere, M. 1983. THE ECOLOGY OF COPROPHILIC COLEOPTERA IN A PERMANENT GRAZING PRAIRIE .1. CHARACTERISTICS OF POPULATIONS OF ADULT COPROPHILIC BEETLES - PHRENOLOGY AND SEASONAL DYNAMICS. Bulletin D Ecologie 14: 99-117.
- Deslippe, R. J., J. R. Salazar, and Y. J. Guo. 2001. A darkling beetle population in West Texas during the 1997-1998 El Nino. Journal of Arid Environments 49: 711-721.
- DeWalt, R. E., C. Favret, and D. W. Webb. 2005. Just how imperiled are aquatic insects? A case study of stoneflies (Plecoptera) in Illinois. Annals of the Entomological Society of America 98: 941-950.
- Dixon, M. D., T. P. Craig, and J. K. Itami. 2009. The geographic mosaic of co-evolution and the natural enemies of *Eurosta solidaginis*. Evolutionary Ecology Research 11: 871-887.
- Dodds, W. K., M. A. Evans-White, N. M. Gerlanc, L. Gray, D. A. Gudder, M. J. Kemp, A. L. Lopez, D. Stagliano, E. A. Strauss, J. L. Tank, M. R. Whiles, and W. M. Wollheim. 2000. Quantification of the nitrogen cycle in a prairie stream. Ecosystems 3: 574-589.
- Dombos, M. 2001. Collembola of loess grassland: effects of grazing and landscape on community composition. Soil Biology & Biochemistry 33: 2037-2045.

- Dosdall, L. M., H. Carcamo, O. Olfert, S. Meers, S. Hartley, and J. Gavloski. 2011. Insect invasions of agroecosystems in the western Canadian prairies: case histories, patterns, and implications for ecosystem function. *Biological Invasions* 13: 1135-1149.
- Dixon, E. D., C. A. Davis, S. D. Fuhlendorf, and S. L. Winter. 2011. Aboveground Macroinvertebrate Diversity and Abundance in Sand Sagebrush Prairie Managed With the Use of Pyric Herbivory. *Rangeland Ecology & Management* 64: 394-403.
- Dunn, J. P., C. J. Summerfield, and M. Johnson. 2002. Distribution, seasonal cycle, host plant records, and habitat evaluation of a Michigan threatened insect: The great plains spittlebug, *Lepyronia gibbosa* (Homoptera : Cercopidae). *Great Lakes Entomologist* 35: 121-129.
- Durham, W. F., and M. G. Tannenbaum. 1998. Effects of endophyte consumption on food intake, growth, and reproduction in prairie voles. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 76: 960-969.
- Ebert, T. A., and B. C. Kondratieff. 1992. EFFECTS OF A METHAMIDOPHOS APPLICATION ON PASIMACHUS-ELONGATUS LECONTE (COLEOPTERA, CARABIDAE). *Journal of the Kansas Entomological Society* 65: 151-156.
- Eisen, R. J., J. L. Holmes, A. M. Schotthoefer, S. M. Vetter, J. A. Montenieri, and K. L. Gage. 2008. Demonstration of Early-Phase Transmission of *Yersinia pestis* by the Mouse Flea, *Aetheca wagneri* (Siphonaptera: Ceratophylidae), and Implications for the Role of Deer Mice as Enzootic Reservoirs. *Journal of Medical Entomology* 45: 1160-1164.
- Enriquez-Quiroz, J. F., A. R. Quero-Carrillo, A. Hernandez-Garay, and E. Garcia-Moya. 2006. Azuche, *Hymenachne amplexicaulis* (Rudge) Nees, forage genetic resources for floodplains in tropical Mexico. *Genetic Resources and Crop Evolution* 53: 1405-1412.
- Evans, E. W. 1987. DISPERSAL OF LYGAEUS-KALMII (HEMIPTERA, LYGAEIDAE) AMONG PRAIRIE MILKWEEDS - POPULATION TURNOVER AS INFLUENCED BY MULTIPLE MATING. *Journal of the Kansas Entomological Society* 60: 109-117.
- Evans, E. W. 1988. GRASSHOPPER (INSECTA, ORTHOPTERA, ACRIDIDAE) ASSEMBLAGES OF TALLGRASS PRAIRIE - INFLUENCES OF FIRE FREQUENCY, TOPOGRAPHY, AND VEGETATION. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 66: 1495-1501.
- Evans, E. W. 1989. INTERSPECIFIC INTERACTIONS AMONG PHYTOPHAGOUS INSECTS OF TALLGRASS PRAIRIE - AN EXPERIMENTAL TEST. *Ecology* 70: 435-444.
- Evans, E. W., C. C. Smith, and R. P. Gendron. 1989. TIMING OF REPRODUCTION IN A PRAIRIE LEGUME - SEASONAL IMPACTS OF INSECTS CONSUMING FLOWERS AND SEEDS. *Oecologia* 78: 220-230.
- Evans, E. W. 1990. DYNAMICS OF AN AGGREGATION OF BLISTER BEETLES (COLEOPTERA, MELOIDAE) ATTACKING A PRAIRIE LEGUME. *Journal of the Kansas Entomological Society* 63: 616-625.
- Evans, E. W. 1991. EXPERIMENTAL MANIPULATION OF HERBIVORES IN NATIVE TALLGRASS PRAIRIE - RESPONSES OF ABOVEGROUND ARTHROPODS. *American Midland Naturalist* 125: 37-46.
- Evans, E. W. 1992. ABSENCE OF INTERSPECIFIC COMPETITION AMONG TALLGRASS PRAIRIE GRASSHOPPERS DURING A DROUGHT. *Ecology* 73: 1038-1044.

- Evans, E. W. 1995. INTERACTIONS AMONG GRASSHOPPERS (ORTHOPTERA, ACRIDIDAE) IN INTERMOUNTAIN GRASSLAND OF WESTERN NORTH-AMERICA. *Oikos* 73: 73-78.
- Evenden, M. L. 2009. Biology of *Caloptilia fraxinella* (Lepidoptera: Gracillariidae) on ornamental green ash, *Fraxinus pennsylvanica* (Oleaceae). *Canadian Entomologist* 141: 31-39.
- Favret, C., and D. J. Voegtlin. 2001. Migratory aphid (Hemiptera : Aphididae) habitat selection in agricultural and adjacent natural habitats. *Environmental Entomology* 30: 371-379.
- Favret, C., J. F. Tooker, and L. M. Hanks. 2004. *Iowana frisoni* Hottes (Hemiptera : Aphididae) redescribed, with notes on its biology. *Proceedings of the Entomological Society of Washington* 106: 26-34.
- Fay, P. A., and R. J. Samenus. 1993. GALL WASP (HYMENOPTERA, CYNIPIDAE) MORTALITY IN A SPRING TALLGRASS PRAIRIE FIRE. *Environmental Entomology* 22: 1333-1337.
- Fay, P. A., D. C. Hartnett, and A. K. Knapp. 1996. Plant tolerance of gall-insect attack and gall-insect performance. *Ecology* 77: 521-534.
- Fay, P. A. 2003. Insect diversity in two burned and grazed grasslands. *Environmental Entomology* 32: 1099-1104.
- Feder, J. L., and G. L. Bush. 1991. GENETIC-VARIATION AMONG APPLE AND HAWTHORN HOST RACES OF RHAGOLETIS-POMONELLA ACROSS AN ECOLOGICAL TRANSITION ZONE IN THE MIDWESTERN UNITED-STATES. *Entomologia Experimentalis Et Applicata* 59: 249-265.
- Ferguson, S. H. 2000. Predator size and distance to edge: is bigger better? *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 78: 713-720.
- Ferguson, S. H. 2001. Changes in trophic abundance of soil arthropods along a grass-shrub-forest gradient. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 79: 457-464.
- Ferguson, S. H. 2004. Does predation or moisture explain distance to edge distribution of soil arthropods? *American Midland Naturalist* 152: 75-87.
- Ferster, B., and K. Vulinec. 2010. Population size and conservation of the last eastern remnants of the regal fritillary, *Speyeria idalia* (Drury) Lepidoptera, Nymphalidae ; implications for temperate grassland restoration. *Journal of Insect Conservation* 14: 31-42.
- Fielding, D. J., and M. A. Brusven. 1992. FOOD AND HABITAT PREFERENCES OF MELANOPLUS-SANGUINIPES AND AULOCARA-ELLIOTTI (ORTHOPTERA, ACRIDIDAE) ON DISTURBED RANGELAND IN SOUTHERN IDAHO. *Journal of Economic Entomology* 85: 783-788.
- Fields, P. G., J. Vanloon, M. G. Dolinski, J. L. Harris, and W. E. Burkholder. 1993. THE DISTRIBUTION OF RHYZOPERTHA-DOMINICA (F) IN WESTERN CANADA. *Canadian Entomologist* 125: 317-328.
- Fields, P. G., and N. D. G. White. 1997. Survival and multiplication of stored-product beetles at simulated and actual winter temperatures. *Canadian Entomologist* 129: 887-898.
- Foote, A. L., and C. L. R. Hornung. 2005. Odonates as biological indicators of grazing effects on Canadian prairie wetlands. *Ecological Entomology* 30: 273-283.
- Forsyth, D. J., and N. D. Westcott. 1994. CARBOFURAN RESIDUES IN GRASSHOPPERS AND VEGETATION FROM AERIALLY SPRAYED PRAIRIE PASTURES - POTENTIAL EFFECTS ON WILDLIFE. *Environmental Toxicology and Chemistry* 13: 299-306.

- Foster, R. N., M. A. Quinn, L. L. Herbaugh, D. D. Walgenbach, R. L. Bohls, K. C. Reuter, and T. J. Roland. 1998. Effect of multiple concentrations and rates of an insecticidal bait on grasshoppers (Orthoptera : Acrididae) of mixedgrass prairie. *Journal of the Kansas Entomological Society* 71: 1-10.
- Foster, R. N., M. A. Quinn, K. C. Reuter, D. Colletto, R. Houston, M. J. Puclik, A. Scott, and B. Radsick. 1999. Comparison of single and multiple applications of an insecticidal bait for controlling grasshoppers (Orthoptera : Acrididae) on mixed-grass prairie. *Journal of the Kansas Entomological Society* 72: 181-189.
- Francis, T. B., D. E. Schindler, and J. W. Moore. 2006. Aquatic insects play a minor role in dispersing salmon-derived nutrients into riparian forests in southwestern Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 63: 2543-2552.
- Francis, A., and S. I. Warwick. 2008. The biology of Canadian weeds. 3. *Lepidium draba* L., *L-chalepense* L., *L-appelianum* Al-Shehbaz (updated). *Canadian Journal of Plant Science* 88: 379-401.
- Franzen, L. D., A. R. Gutsche, T. M. Heng-Moss, L. G. Higley, G. Sarath, and J. D. Burd. 2007. Physiological and biochemical responses of resistant and susceptible wheat to injury by Russian wheat aphid. *Journal of Economic Entomology* 100: 1692-1703.
- Fritz, K. M., and W. K. Dodds. 1999. The effects of bison crossings on the macroinvertebrate community in a tallgrass prairie stream. *American Midland Naturalist* 141: 253-265.
- Führer, J. 2003. Agroecosystem responses to combinations of elevated CO<sub>2</sub>, ozone, and global climate change. *Agriculture Ecosystems & Environment* 97: 1-20.
- Gardiner, M. M., M. E. O'Neal, and D. A. Landis. 2011. Intraguild Predation and Native Lady Beetle Decline. *Plos One* 6.
- Gardiner, M. A., J. K. Tuell, R. Isaacs, J. Gibbs, J. S. Ascher, and D. A. Landis. 2010. Implications of Three Biofuel Crops for Beneficial Arthropods in Agricultural Landscapes. *Bioenergy Research* 3: 6-19.
- Gehring, C., and A. Bennett. 2009. Mycorrhizal Fungal-Plant-Insect Interactions: The Importance of a Community Approach. *Environmental Entomology* 38: 93-102.
- Goldstein, P. Z. 2004. Systematic collection data in North American invertebrate conservation and monitoring programmes. *Journal of Applied Ecology* 41: 175-180.
- Gonzalez-Vainer, P., and E. Morelli. 1999. Phenology and biology of the Dung beetle *Onthophagus hirculus* Mannerheim (Coleoptera : Scarabaeidae). *Coleopterists Bulletin* 53: 303-310.
- Goulet, H. 2003. Biodiversity of ground beetles (Coleoptera : Carabidae) in Canadian agricultural soils. *Canadian Journal of Soil Science* 83: 259-264.
- Gray, L. J. 1989. EMERGENCE PRODUCTION AND EXPORT OF AQUATIC INSECTS FROM A TALLGRASS PRAIRIE STREAM. *Southwestern Naturalist* 34: 313-318.
- Gray, L. J. 1993. RESPONSE OF INSECTIVOROUS BIRDS TO EMERGING AQUATIC INSECTS IN RIPARIAN HABITATS OF A TALLGRASS PRAIRIE STREAM. *American Midland Naturalist* 129: 288-300.
- Greenwood, R. J., A. B. Sargeant, J. L. Piehl, D. A. Buhl, and B. A. Hanson. 1999. Foods and foraging of prairie striped skunks during the avian nesting season. *Wildlife Society Bulletin* 27: 823-832.

- Grilli, M. P. 2010. The role of landscape structure on the abundance of a disease vector planthopper: a quantitative approach. *Landscape Ecology* 25: 383-394.
- Haden, G. A., D. W. Blinn, J. P. Shannon, and K. P. Wilson. 1999. Driftwood: an alternative habitat for macroinvertebrates in a large desert river. *Hydrobiologia* 397: 179-186.
- Hafliger, P., M. Schwarzlaender, and B. Blossey. 2005. Biology of *Platycephala planifrons* (Diptera : Chloropidae) and its potential effectiveness as biological control agent for invasive *Phragmites australis* in North America. *Biological Control* 34: 302-311.
- Hall, D. L., M. R. Willig, D. L. Moorhead, R. W. Sites, E. B. Fish, and T. R. Mollhagen. 2004. Aquatic macroinvertebrate diversity of playa wetlands: The role of landscape and island biogeographic characteristics. *Wetlands* 24: 77-91.
- Hamilton, K. G. A. 2005. Bugs reveal an extensive, long-lost northern tallgrass prairie. *Bioscience* 55: 49-59.
- Hannon, S. J., and K. Martin. 2006. Ecology of juvenile grouse during the transition to adulthood, pp. 422-433.
- Hanson, M. A., and M. R. Riggs. 1995. POTENTIAL EFFECTS OF FISH PREDATION ON WETLAND INVERTEBRATES - A COMPARISON OF WETLANDS WITH AND WITHOUT FATHEAD MINNOWS. *Wetlands* 15: 167-175.
- Hanula, J. L., and D. D. Wade. 2003. Influence of long-term dormant-season burning and fire exclusion on ground-dwelling arthropod populations in longleaf pine flatwoods ecosystems. *Forest Ecology and Management* 175: 163-184.
- Harper, M. G., C. H. Dietrich, R. L. Larimore, and P. A. Tessene. 2000. Effects of prescribed fire on prairie arthropods: An enclosure study. *Natural Areas Journal* 20: 325-335.
- Harris, M. O., J. L. Dando, W. Griffin, and C. Madie. 1996. Susceptibility of cereal and non-cereal grasses to attack by Hessian fly (*Mayetiola destructor* (Say)). *New Zealand Journal of Crop and Horticultural Science* 24: 229-238.
- Hart, E. A., and J. R. Lovvorn. 2005. Patterns of macroinvertebrate abundance in inland saline wetlands: a trophic analysis. *Hydrobiologia* 541: 45-54.
- Hartley, M. K., W. E. Rogers, E. Siemann, and J. Grace. 2007. Responses of prairie arthropod communities to fire and fertilizer: Balancing plant and arthropod conservation. *American Midland Naturalist* 157: 92-105.
- Hartzell, D., J. R. Bidwell, and C. A. Davis. 2007. A comparison of natural and created depressional wetlands in central Oklahoma using metrics from indices of biological integrity. *Wetlands* 27: 794-805.
- Hatten, T. D., S. D. Eigenbrode, N. A. Bosque-Pérez, S. Gebbie, F. Merickel, and C. Looney. 2006. Influence of matrix elements on prairie-inhabiting Curculionidae, Tenebrionidae and Scarabaeidae in the Palouse. In D. Egan and J. Harrington [eds.], *Proceedings of the Nineteenth North American Prairie Conference*. Madison: University Communications, Madison, WI.
- Hatten, T. D. 2006. Assessing the influence of agricultural practices, topographic features, and native habitats on the epigeal beetle fauna of the Palouse. Ph.D. dissertation. University of Idaho, Moscow, Idaho.
- Hayman, D. I., K. E. MacKenzie, and E. G. Reekie. 2003. The influence of pruning on wasp inhabitants of Galls' induced by Hemadas

- nubilipennis ashmead (Hymenoptera : pteromalidae) on lowbush blueberry. *Journal of Economic Entomology* 96: 1245-1253.
- Hemachandra, K. S., N. J. Holliday, J. Klimaszewski, P. G. Mason, and U. Kuhlmann. 2005. Erroneous records of *Aleochara bipustulata* from North America: an assessment of the evidence. *Canadian Entomologist* 137: 182-187.
- Henderson, G., and R. L. Jeanne. 1992. POPULATION BIOLOGY AND FORAGING ECOLOGY OF PRAIRIE ANTS IN SOUTHERN WISCONSIN (HYMENOPTERA, FORMICIDAE). *Journal of the Kansas Entomological Society* 65: 16-29.
- Hendrix, P. F., G. H. Baker, M. A. Callaham, G. A. Damoff, C. Fragoso, G. Gonzalez, S. W. James, S. L. Lachnicht, T. Winsome, and X. Zou. 2006. Invasion of exotic earthworms into ecosystems inhabited by native earthworms. *Biological Invasions* 8: 1287-1300.
- Hendrix, S. D., K. S. Kwaiser, and S. B. Heard. 2010. Bee communities (Hymenoptera: Apoidea) of small Iowa hill prairies are as diverse and rich as those of large prairie preserves. *Biodiversity and Conservation* 19: 1699-1709.
- Herzig, A. L., and C. Skema. 2004. Feeding behavior and performance of a rabbitbrush leaf-beetle (*Trirhabda lewisii*) feeding on *Chrysothamnus nauseosus* regrowth after fire. *Western North American Naturalist* 64: 249-256.
- Hicks, A. L., and R. F. Whitcomb. 1993. THE GENUS LAEVICEPHALUS (HOMOPTERA, CICADELLIDAE) - HOSTS, BIOGEOGRAPHY, AND 3 NEW SPECIES. *Proceedings of the Entomological Society of Washington* 95: 481-487.
- Hill, P. S. M. 1999. Lekking in *Gryllotalpa major*, the prairie, mole cricket (Insecta : Gryllotalpidae). *Ethology* 105: 531-545.
- Hill, J. G., K. S. Summerville, and R. L. Brown. 2008. Habitat associations of ant species (Hymenoptera : Formicidae) in a heterogeneous Mississippi landscape. *Environmental Entomology* 37: 453-463.
- Hill, J. G., and R. L. Brown. 2010. The Ant (Hymenoptera: Formicidae) Fauna of Black Belt Prairie Remnants in Alabama and Mississippi. *Southeastern Naturalist* 9: 73-84.
- Hines, H. M., and S. D. Hendrix. 2005. Bumble bee (Hymenoptera : Apidae) diversity and abundance in tallgrass prairie patches: Effects of local and landscape floral resources. *Environmental Entomology* 34: 1477-1484.
- Hinnebusch, B. J., K. L. Gage, and T. G. Schwan. 1998. Estimation of vector infectivity rates for plague by means of a standard curve-based competitive polymerase chain reaction method to quantify *Yersinia pestis* in fleas. *American Journal of Tropical Medicine and Hygiene* 58: 562-569.
- Hochkirch, A., and F. Adorf. 2007. Effects of prescribed burning and wildfires on Orthoptera in Central European peat bogs. *Environmental Conservation* 34: 225-235.
- Hoffman, A. L., and J. A. Wiens. 2004. Scaling of the tenebrionid beetle community and its environment on the Colorado shortgrass steppe. *Ecology* 85: 629-636.
- Hogg, E. H., J. P. Brandt, and B. Kochtubajda. 2002. Growth and dieback of Aspen forests in northwestern Alberta, Canada, in relation to climate and insects, pp. 823-832.
- Holder, M. W., and S. W. Wilson. 1992. LIFE-HISTORY AND DESCRIPTIONS OF THE IMMATURE STAGES OF THE PLANTHOPPER PROKELISIA-CROCEA (VANDUZEE)

- (HOMOPTERA, DELPHACIDAE). Journal of the New York Entomological Society 100: 491-497.
- Holloway, G. L., and R. M. R. Barclay. 2000. Importance of prairie riparian zones to bats in southeastern Alberta. Ecoscience 7: 115-122.
- Hoogland, J. L., S. Davis, S. Benson-Amram, D. Labruna, B. Goossens, and M. A. Hoogland. 2004. Pyraperm kills fleas and halts plague among utah prairie dogs. Southwestern Naturalist 49: 376-383.
- Hopkinson, R. F., and J. J. Soroka. 2010. Air trajectory model applied to an in-depth diagnosis of potential diamondback moth infestations on the Canadian Prairies. Agricultural and Forest Meteorology 150: 1-11.
- Huber, R. L., and V. F. Wright. 2002. First Kansas record for *Tetraopes texanus* (Coleoptera : Cerambycidae). Journal of the Kansas Entomological Society 75: 341-341.
- Hudson, E. E., and P. Stiling. 1997. Exploitative competition strongly affects the herbivorous insect community on *Baccharis halimifolia*. Oikos 79: 521-528.
- Huebschman, J. J., and T. B. Bragg. 2000. Response of regal fritillary (*Speyeria idalia* Drury) to spring burning in an eastern Nebraska tallgrass prairie, USA. Natural Areas Journal 20: 386-388.
- Huntsman, B. O., R. W. Baumann, and B. C. Kondratieff. 2001. The stoneflies (Plecoptera) of South Dakota. Entomological News 112: 104-111.
- Imbert, J. B., and J. A. Stanford. 1996. An ecological study of a regulated prairie stream in western Montana. Regulated Rivers-Research & Management 12: 597-615.
- Jackson, W. 2002. Natural systems agriculture: a truly radical alternative, pp. 111-117.
- Jia, F., M. D. Toewsbi, J. F. Campbell, and S. B. Ramaswamy. 2008. Survival and reproduction of lesser grain borer, *Rhyzopertha dominica* (F.) (Coleoptera : Bostrichidae) on flora associated with native habitats in Kansas. Journal of Stored Products Research 44: 366-372.
- Joern, A., and G. Klucas. 1993. INTRASPECIFIC AND INTERSPECIFIC COMPETITION IN ADULTS OF 2 ABUNDANT GRASSHOPPERS (ORTHOPTERA, ACRIDIDAE) FROM A SANDHILLS GRASSLAND. Environmental Entomology 22: 352-361.
- Joern, A. 2005. Disturbance by fire frequency and bison grazing modulate grasshopper assemblages in tallgrass prairie. Ecology 86: 861-873.
- Johnson, S. R. 1996. Use of coleopteran prey by *Phidippus audax* (Araneae, Salticidae) in tallgrass prairie wetlands. Journal of Arachnology 24: 39-42.
- Johnson, S. R., and A. K. Knapp. 1996. Impact of *Ischnodemus falicus* (Hemiptera: Lygaeidae) on photosynthesis and production of *Spartina pectinata* wetlands. Environmental Entomology 25: 1122-1127.
- Johnson, Z. B., and J. H. Kennedy. 2003. Macroinvertebrate assemblages of submerged woody debris in the Elm Fork of the Trinity River, Texas. Journal of Freshwater Ecology 18: 187-197.
- Johnston, J. M. 2000. The contribution of microarthropods to aboveground food webs: A review and model of belowground transfer in a coniferous forest. American Midland Naturalist 143: 226-238.

- Jonas, J. L., M. R. Whiles, and R. E. Charlton. 2002. Aboveground invertebrate responses to land management differences in a central Kansas grassland. *Environmental Entomology* 31: 1142-1152.
- Jonas, J. L., G. W. T. Wilson, P. M. White, and A. Joern. 2007. Consumption of mycorrhizal and saprophytic fungi by Collembola in grassland soils. *Soil Biology & Biochemistry* 39: 2594-2602.
- Jyoti, J. L., and J. P. Michaud. 2005. Comparative biology of a novel strain of Russian wheat aphid (Homoptera : Aphididae) on three wheat cultivars. *Journal of Economic Entomology* 98: 1032-1039.
- Kamler, J. F., W. B. Ballard, M. C. Wallace, and P. S. Gipson. 2007. Diets of swift foxes (*Vulpes velox*) in continuous and fragmented prairie in northwestern Texas. *Southwestern Naturalist* 52: 504-510.
- Kandeler, E., D. Tscherko, R. D. Bardgett, P. J. Hobbs, C. Kampichler, and T. H. Jones. 1998. The response of soil microorganisms and roots to elevated CO<sub>2</sub> and temperature in a terrestrial model ecosystem. *Plant and Soil* 202: 251-262.
- Karban, R., A. Hodson, D. S. Gruner, E. E. Lewis, J. Karban, M. Joseph, T. Mata, and D. R. Strong. 2011. Lack of susceptibility of soil-inhabiting *Platyprepia virginalis* caterpillars, a native arctiid, to entomopathogenic nematodes in nature. *Entomologia Experimentalis Et Applicata* 140: 28-34.
- Karhu, R., and S. Anderson. 2000. Effects of pyriproxyfen spray, powder, and oral bait treatments on the relative abundance of fleas (Siphonaptera : Ceratophyllidae) in black-tailed prairie dog (Rodentia : Sciuridae) towns. *Journal of Medical Entomology* 37: 864-871.
- Karhu, R. R., and S. H. Anderson. 2000. Effects of pvriproxyfen spray, powder, and oral bait treatments on the relative abundance of nontarget arthropods of black-tailed prairie dog (Rodentia : Sciuridae) towns. *Journal of Medical Entomology* 37: 612-618.
- Kedwards, T. J., S. J. Maund, and P. F. Chapman. 1999. Community level analysis of ecotoxicological field studies: I. Biological monitoring. *Environmental Toxicology and Chemistry* 18: 149-157.
- Kemp, W. P., and B. Dennis. 1991. TOWARD A GENERAL-MODEL OF RANGELAND GRASSHOPPER (ORTHOPTERA, ACRIDIDAE) PHENOLOGY IN THE STEPPE REGION OF MONTANA. *Environmental Entomology* 20: 1504-1515.
- Kemp, W. P. 1992. RANGELAND GRASSHOPPER (ORTHOPTERA, ACRIDIDAE) COMMUNITY STRUCTURE - A WORKING HYPOTHESIS. *Environmental Entomology* 21: 461-470.
- Kennedy, P. L., S. J. DeBano, A. M. Bartuszevige, and A. S. Lueders. 2009. Effects of Native and Non-Native Grassland Plant Communities on Breeding Passerine Birds: Implications for Restoration of Northwest Bunchgrass Prairie. *Restoration Ecology* 17: 515-525.
- King, R. S., and D. A. Wrubleski. 1998. Spatial and diel availability of flying insects as potential duckling food in prairie wetlands. *Wetlands* 18: 100-114.
- Kittelson, P. M., and S. D. Handler. 2006. Genetic diversity in isolated patches of the tallgrass prairie forb, *Lithospermum canescens* (Boraginaceae). *Journal of the Torrey Botanical Society* 133: 513-518.
- Kremer, R. J., A. J. Caesar, and T. Souissi. 2006. Soilborne microorganisms of *Euphorbia* are potential biological control agents of the invasive weed leafy spurge. *Applied Soil Ecology* 32: 27-37.

- Kutschbach-Brohl, L., B. E. Washburn, G. E. Bernhardt, R. B. Chipman, and L. C. Francoeur. 2010. Arthropods of a semi-natural grassland in an urban environment: the John F. Kennedy International Airport, New York. *Journal of Insect Conservation* 14: 347-358.
- Kwaiser, K. S., and S. D. Hendrix. 2008. Diversity and abundance of bees (Hymenoptera : Apiformes) in native and ruderal grasslands of agriculturally dominated landscapes. *Agriculture Ecosystems & Environment* 124: 200-204.
- Lahr, J., A. O. Diallo, B. Gadji, P. S. Diouf, J. J. M. Bedaux, A. Badji, K. B. Ndour, J. E. Andreasen, and N. M. van Straalen. 2000. Ecological effects of experimental insecticide applications on invertebrates in Sahelian temporary ponds. *Environmental Toxicology and Chemistry* 19: 1278-1289.
- Landwer, B. H. P., and R. W. Sites. 2003. Redescription of the larva of *Gomphus militaris* Hagen (Odonata : Gomphidae), with distributional and life history notes. *Proceedings of the Entomological Society of Washington* 105: 304-311.
- Langor, D., L. DeHaas, and R. Foottit. 2009. Diversity of non-native terrestrial arthropods on woody plants in Canada. *Biological Invasions* 11: 5-19.
- Lariviere, S., and F. Messier. 2000. Habitat selection and use of edges by striped skunks in the Canadian prairies. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 78: 366-372.
- Larsen, K. I., T. T. Work, and F. F. Purrrington. 2003. Habitat use patterns by ground beetles (Coleoptera : Carabidae) of northeastern Iowa. *Pedobiologia* 47: 288-299.
- Larson, D. L., J. B. Grace, P. A. Rabie, and P. Andersen. 2007. Short-term disruption of a leafy spurge (*Euphorbia esula*) biocontrol program following herbicide application. *Biological Control* 40: 1-8.
- Lavigne, R. J., and M. K. Campion. 1978. EFFECT OF ECOSYSTEM STRESS ON ABUNDANCE AND BIOMASS OF CARABIDAE (COLEOPTERA) ON SHORTGRASS PRAIRIE. *Environmental Entomology* 7: 88-92.
- Lavigne, R. J. 1980. FOOD OF SOME SHORTGRASS PRAIRIE COLEOPTERA. *Entomological News* 91: 37-42.
- Lee, Y. F., Y. H. Lin, and S. H. Wu. 2010. Spatiotemporal Variation in Cicada Diversity and Distribution, and Tree Use by Exuviating Nymphs, in East Asian Tropical Reef-Karst Forests and Forestry Plantations. *Annals of the Entomological Society of America* 103: 216-226.
- Li, Z., M. J. Apps, E. Banfield, and W. A. Kurz. 2002. Estimating net primary production of forests in the Canadian Prairie Provinces using an inventory-based carbon budget model. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere* 32: 161-169.
- Linz, G. M., W. J. Bleier, J. D. Overland, and H. J. Homan. 1999. Response of invertebrates to glyphosate-induced habitat alterations in wetlands. *Wetlands* 19: 220-227.
- Liu, C. Z., S. R. Zhou, L. Yan, and F. N. Huang. 2007. Competition among the adults of three grasshoppers (Orthop., Acrididae) on an alpine grassland. *Journal of Applied Entomology* 131: 153-159.
- Lockwood, J. A. 1993. ENVIRONMENTAL-ISSUES INVOLVED IN BIOLOGICAL-CONTROL OF RANGELAND GRASSHOPPERS (ORTHOPTERA, ACRIDIDAE) WITH EXOTIC AGENTS. *Environmental Entomology* 22: 503-518.

- Lockwood, S. A., and D. A. Pollock. 2009. A review of the genus *Glyptasida* Casey (Coleoptera: Tenebrionidae: Asidini). *Zootaxa*: 1-27.
- Looney, C., T. Caldwell, T. Hatten, C. Lorion, and S. D. Eigenbrode. 2006. Potential habitat factors influencing carrion beetle communities of Palouse Prairie remnants. In D. Egan and J. Harrington [eds.], *Proceedings of the Nineteenth North American Prairie Conference*. Madison: University Communications, Madison, WI.
- Looney, C. 2008. Habitat fragmentation and loss on the Palouse and its impact on arthropod conservation. Ph.D. dissertation. University of Idaho, Moscow, Idaho.
- Looney, C., and S. D. Eigenbrode. 2011. Landscape-level effects on cynipid component communities of "orphaned" native shrubs. *Journal of Insect Conservation* 15: 695-706.
- Losey, J. E., and M. Vaughan. 2006. The economic value of ecological services provided by insects. *Bioscience* 56: 311-323.
- Louda, S. M., and M. A. Potvin. 1995. EFFECT OF INFLORESCENCE-FEEDING INSECTS ON THE DEMOGRAPHY AND LIFETIME FITNESS OF A NATIVE PLANT. *Ecology* 76: 229-245.
- Louda, S. M. 1998. Population growth of *Rhinocyllus conicus* (Coleoptera : Curculionidae) on two species of native thistles in Prairie. *Environmental Entomology* 27: 834-841.
- Louda, S. M., and C. W. O'Brien. 2002. Unexpected ecological effects of distributing the exotic weevil, *Larinus planus* (F.), for the biological control of Canada thistle. *Conservation Biology* 16: 717-727.
- Lym, R. G. 2005. Integration of biological control agents with other weed management technologies: Successes from the leafy spurge (*Euphorbia esula*) IPM program, pp. 366-375.
- Maamri, A., E. Pattee, S. Doledec, and H. Chergui. 2005. The benthic macroinvertebrate assemblages in the Zegzel-Cherraa, a partly-temporary river system, Eastern Morocco. *Annales De Limnologie-International Journal of Limnology* 41: 247-257.
- Macgown, M. W., and T. L. Schiefer. 1992. DISJUNCT DISTRIBUTION AND A NEW RECORD FOR AN ANTHOPHORID BEE, *XENOGLOSSODES-ALBATA* (HYMENOPTERA, ANTHOPHORIDAE), IN SOUTHEASTERN UNITED-STATES. *Entomological News* 103: 81-82.
- Malmstrom, A., T. Persson, and K. Ahlstrom. 2008. Effects of fire intensity on survival and recovery of soil microarthropods after a clearcut burning. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere* 38: 2465-2475.
- Manning, A. E. E., and C. M. White. 2001. Nest site selection by Mountain Plovers (*Charadrius montanus*) in a shrub-steppe habitat. *Western North American Naturalist* 61: 229-235.
- Marlin, J. C., and W. E. LeBerge. 2001. The native bee fauna of Carlinville, Illinois, revisited after 75 years: a case for persistence. *Conservation Ecology* 5: art. no.-9.
- Marlin, J. C., and W. E. LaBerge. 2001. The native bee fauna of Carlinville, Illinois, revisited after 75 years: a case for persistence. *Conservation Ecology* 5: U91-U116.
- Mason, P. G., O. Olfert, L. Sluchinski, R. M. Weiss, C. Boudreault, M. Grossrieder, and U. Kuhlmann. 2003. Actual and potential distribution of an invasive canola pest, *Meligethes viridescens*

- (Coleoptera : Nitidulidae), in Canada. Canadian Entomologist 135: 405-413.
- Mawdsley, J. R. 2002. Ecological notes on species of Cleridae (Insecta : Coleoptera) associated with the prairie flora of Central North America. Great Lakes Entomologist 35: 15-22.
- Mazia, C. N., E. J. Chaneton, and T. Kitzberger. 2006. Small-scale habitat use and assemblage structure of ground-dwelling beetles in a Patagonian shrub steppe. Journal of Arid Environments 67: 177-194.
- McCormick, P. V., R. B. E. Shuford, and P. S. Rawlik. 2004. Changes in macroinvertebrate community structure and function along a phosphorus gradient in the Florida Everglades. Hydrobiologia 529: 113-132.
- McCravy, K. W., and K. A. Baxa. 2011. Diversity, Seasonal Activity and Habitat Associations of Robber Flies (Diptera: Asilidae) in West-Central Illinois. American Midland Naturalist 166: 85-97.
- McIntyre, N. E. 1995. METHAMIDOPHOS APPLICATION EFFECTS ON PASIMACHUS-ELONGATUS (COLEOPTERA, CARABIDAE) - AN UPDATE. Environmental Entomology 24: 559-563.
- McIntyre, N. E. 1997. Scale-dependent habitat selection by the darkling beetle *Eleodes hispilabris* (Coleoptera: Tenebrionidae). American Midland Naturalist 138: 230-235.
- McIntyre, N. E., and J. A. Wiens. 1999. Interactions between landscape structure and animal behavior: the roles of heterogeneously distributed resources and food deprivation on movement patterns. Landscape Ecology 14: 437-447.
- McIntyre, N. E., and J. A. Wiens. 1999. How does habitat patch size affect animal movement? An experiment with darkling beetles. Ecology 80: 2261-2270.
- McIntyre, N. E., and J. A. Wiens. 1999. Interactions between habitat abundance and configuration: experimental validation of some predictions from percolation theory. Oikos 86: 129-137.
- McIntyre, N. E. 2000. Community structure of *Eleodes* beetles (Coleoptera : Tenebrionidae) in the shortgrass steppe: Scale-dependent uses of heterogeneity. Western North American Naturalist 60: 1-15.
- McIntyre, N. E., and J. A. Wiens. 2000. A novel use of the lacunarity index to discern landscape function. Landscape Ecology 15: 313-321.
- McIntyre, N. E., and T. R. Thompson. 2003. A comparison of conservation reserve program habitat plantings with respect to arthropod prey for grassland birds. American Midland Naturalist 150: 291-301.
- McIntyre, N. E. 2003. Effects of conservation reserve program seeding regime on harvester ants (*Pogonomyrmex*), with implications for the threatened Texas horned lizard (*Phrynosoma cornutum*). Southwestern Naturalist 48: 274-277.
- McKone, M., K. K. McLauchlan, E. G. Lebrun, and A. C. McCall. 2001. An edge effect caused by adult corn-rootworm beetles on sunflowers in tallgrass prairie remnants. Conservation Biology 15: 1315-1324.
- McMillan, B. R., M. R. Cottam, and D. W. Kaufman. 2000. Wallowing behavior of American bison (*Bos bison*) in tallgrass prairie: an examination of alternate explanations. American Midland Naturalist 144: 159-167.
- Melbourne, B. A. 1999. Bias in the effect of habitat structure on pitfall traps: An experimental evaluation. Australian Journal of Ecology 24: 228-239.

- Menges, E. S. 1995. FACTORS LIMITING FECUNDITY AND GERMINATION IN SMALL POPULATIONS OF *SILENE REGIA* (CARYOPHYLLACEAE), A RARE HUMMINGBIRD-POLLINATED PRAIRIE FORB. *American Midland Naturalist* 133: 242-255.
- Metcalf, R. L., R. L. Lampman, and P. A. Lewis. 1998. Comparative kairomonal chemical ecology of diabroticite beetles (Coleoptera : Chrysomelidae : Galerucinae : Luperini : Diabroticina) in a reconstituted tallgrass prairie ecosystem. *Journal of Economic Entomology* 91: 881-890.
- Michaud, J. P., and J. A. Qureshi. 2005. Induction of reproductive diapause in *Hippodamia convergens* (Coleoptera : Coccinellidae) hinges on prey quality and availability, pp. 483-487.
- Michels, G. J., V. A. Carney, E. N. Jones, and D. A. Pollock. 2010. Species Diversity and Qualitative Assessment of Ground Beetles (Coleoptera: Carabidae) in Three Riparian Habitats. *Environmental Entomology* 39: 738-752.
- Milcu, A., J. Schumacher, and S. Scheu. 2006. Earthworms (*Lumbricus terrestris*) affect plant seedling recruitment and microhabitat heterogeneity. *Functional Ecology* 20: 261-268.
- Miller, A. M., and S. W. Golladay. 1996. Effects of spates and drying on macroinvertebrate assemblages of an intermittent and a perennial prairie stream. *Journal of the North American Benthological Society* 15: 670-689.
- Molano-Flores, B. 2009. Insect Herbivory of Ovules and Seeds in Native and Restored Prairies. *Restoration Ecology* 17: 187-191.
- Morrill, P. K., and B. R. Neal. 1990. IMPACT OF DELTAMETHRIN INSECTICIDE ON CHIRONOMIDAE (DIPTERA) OF PRAIRIE PONDS. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 68: 289-296.
- Morrill, W. L., D. K. Weaver, and G. D. Johnson. 2001. Trap strip and field border modification for management of the wheat stem sawfly (Hymenoptera : Cephidae). *Journal of Entomological Science* 36: 34-45.
- Mueller, J. M., C. B. Dabbert, S. Demarais, and A. R. Forbes. 1999. Northern bobwhite chick mortality caused by red imported fire ants. *Journal of Wildlife Management* 63: 1291-1298.
- Mulvaney, C. R., B. Molano-Flores, and D. W. Whitman. 2006. Is insect herbivory contributing to the threatened status of *Agalinis auriculata* (Orobanchaceae) in Illinois? *Journal of the Torrey Botanical Society* 133: 560-565.
- Murphy, A. F., N. J. Seiter, and C. H. Krupke. 2011. The impact of Bt maize as a natal host on adult head capsule width in field populations of western corn rootworm. *Entomologia Experimentalis Et Applicata* 139: 8-16.
- Murray, P. J., R. Cook, A. F. Currie, L. A. Dawson, A. C. Gange, S. J. Grayston, and A. M. Treonis. 2006. Interactions between fertilizer addition, plants and the soil environment: Implications for soil faunal structure and diversity. *Applied Soil Ecology* 33: 199-207.
- Muscha, M. J., K. D. Zimmer, M. G. Butler, and M. A. Hanson. 2001. A comparison of horizontally and vertically deployed aquatic invertebrate activity traps. *Wetlands* 21: 301-307.
- Muths, E. L. 1991. SUBSTRATE DISCRIMINATION IN BURYING BEETLES, *NICROPHORUS-ORBICOLLIS* (COLEOPTERA, SILPHIDAE). *Journal of the Kansas Entomological Society* 64: 447-450.
- Nadeau, L., P. E. Cushing, and B. C. Kondratieff. 2006. Effects of fire disturbance on grasshopper (Orthoptera : Acrididae) assemblages of

- the Comanche National Grasslands, Colorado. Journal of the Kansas Entomological Society 79: 2-12.
- Nansen, C., D. K. Weaver, S. E. Sing, J. B. Runyon, W. L. Morrill, M. J. Grieshop, C. L. Shannon, and M. L. Johnson. 2005. Within-field spatial distribution of *Cephus cinctus* (Hymenoptera : Cephidae) larvae in Montana wheat fields. Canadian Entomologist 137: 202-214.
- Nascarella, M. A., C. M. Bradford, T. H. Burns, E. J. Marsland, C. M. Pepper, and S. M. Presley. 2005. Ectoparasite fleas of cottontail rabbits and black-tailed prairie dogs inhabiting the high plains of West Texas. Southwestern Entomologist 30: 239-243.
- Nelson, R. E. 1997. Implications of subfossil Coleoptera for the evolution of the Mima Mounds of southwestern Puget Lowland, Washington. Quaternary Research 47: 356-358.
- Nemec, K. T., and T. B. Bragg. 2008. Plant-feeding Hemiptera and Orthoptera communities in native and restored mesic tallgrass prairies. Restoration Ecology 16: 324-335.
- Novak, R. J. 1981. OVIPOSITION SITES OF AEDES-VEXANS (DIPTERA, CULICIDAE) - WET-PRAIRIE HABITATS. Canadian Entomologist 113: 57-64.
- Olfert, O., R. M. Weiss, S. Woods, H. Philip, and L. Dosdall. 2004. Potential distribution and relative abundance of an invasive cereal crop pest, *Oulema melanopus* (Coleoptera : Chrysomelidae), in Canada. Canadian Entomologist 136: 277-287.
- Olfert, O., R. Hallett, R. M. Weiss, J. Soroka, and S. Goodfellow. 2006. Potential distribution and relative abundance of swede midge, *Contarinia nasturtii*, an invasive pest in Canada. Entomologia Experimentalis Et Applicata 120: 221-228.
- Orr, D. B., and J. M. Pleasants. 1996. The potential of native prairie plant species to enhance the effectiveness of the *Ostrinia nubilalis* parasitoid *Macrocentrus grandii*. Journal of the Kansas Entomological Society 69: 133-143.
- Ostrow, D. G., N. Huntly, and R. S. Inouye. 2002. Plant-mediated interactions between the northern pocket gopher, *Thomomys talpoides*, and aboveground herbivorous insects. Journal of Mammalogy 83: 991-998.
- Otfinowski, R., N. C. Kenkel, and P. M. Catling. 2007. The biology of Canadian weeds. 134. *Bromus inermis* Leyss. Canadian Journal of Plant Science 87: 183-198.
- Owen, W. K., J. E. Lloyd, D. E. Legg, and R. Kumar. 2006. Endocoprid activity of *Aphodius fessor* (Coleoptera : Scarabaeidae) related to bovine dung decomposition in a mixed grass prairie. Journal of Economic Entomology 99: 2210-2215.
- Oyediran, I. O., B. E. Hibbard, and T. L. Clark. 2004. Prairie grasses as hosts of the western corn rootworm (Coleoptera : Chrysomelidae). Environmental Entomology 33: 740-747.
- Oyediran, I. O., B. W. French, T. L. Clark, K. E. Dashiell, and B. E. Hibbard. 2008. Prairie grasses as hosts of the northern corn rootworm (Coleoptera : Chrysomelidae). Environmental Entomology 37: 247-254.
- Panzer, R., D. Stillwaugh, R. Gnaedinger, and G. Derkovitz. 1995. PREVALENCE OF REMNANT DEPENDENCE AMONG THE PRAIRIE-INHABITING AND SAVANNA-INHABITATING INSECTS OF THE CHICAGO REGION. Natural Areas Journal 15: 101-116.
- Panzer, R., J. Shuey, and D. Stillwaugh. 1997. Characterizing insects within fragmented landscapes. Natural Areas Journal 17: 53-55.

- Panzer, R., and M. W. Schwartz. 1998. Effectiveness of a vegetation-based approach to insect conservation. *Conservation Biology* 12: 693-702.
- Panzer, R. 2002. Compatibility of prescribed burning with the conservation of insects in small, isolated prairie reserves. *Conservation Biology* 16: 1296-1307.
- Panzer, R. 2003. Importance of in situ survival, recolonization, and habitat gaps in the postfire recovery of fire-sensitive prairie insect species, pp. 14-21.
- Pearson, D. E., K. S. McKelvey, and L. F. Ruggiero. 2000. Non-target effects of an introduced biological control agent on deer mouse ecology. *Oecologia* 122: 121-128.
- Peschken, D. P., and K. C. Sawchyn. 1993. HOST-SPECIFICITY AND SUITABILITY OF APION-HOOKERI KIRBY (COLEOPTERA, CURCULIONIDAE), A CANDIDATE FOR THE BIOLOGICAL-CONTROL OF SCENTLESS CHAMOMILE, MATRICARIA-PERFORATA MERAT (ASTERACEAE), IN CANADA. *Canadian Entomologist* 125: 619-628.
- Petersen, C. E., and J. A. Sleboda. 1994. SELECTIVE POD ABORTION BY BAPTISIA-LEUCANTHA (FABACEAE) AS AFFECTED BY A CURCULIONID SEED PREDATOR, APION-ROSTRUM (COLEOPTERA). *Great Lakes Entomologist* 27: 143-147.
- Pfitsch, W. A., and E. H. Williams. 2009. Habitat Restoration for Lupine and Specialist Butterflies. *Restoration Ecology* 17: 226-233.
- Phillips, I. D., D. Parker, and G. McMaster. 2008. Aquatic invertebrate fauna of a northern prairie stream: Range extensions and water quality characteristics. *Western North American Naturalist* 68: 173-185.
- Pike, K. S., P. Stary, D. Allison, G. Graf, L. Boydston, and T. Miller. 1997. Parasitoids (Hymenoptera: Braconidae: Aphidiinae) of aphids on big sagebrush (*Artemisia tridentata* Nuttall) and prairie sage (*Artemisia ludoviciana* Nuttall) in Washington state. *Proceedings of the Entomological Society of Washington* 99: 143-155.
- Pocco, M. E., M. P. Damborsky, and M. M. Cigliano. 2010. Orthopteran communities (Insecta, Orthoptera) in grasslands of Eastern Humid Chaco, Argentina. *Animal Biodiversity and Conservation* 33: 119-129.
- Powell, A., W. H. Busby, and K. Kindscher. 2007. Status of the regal fritillary (*Speyeria idalia*) and effects of fire management on its abundance in northeastern Kansas, USA. *Journal of Insect Conservation* 11: 299-308.
- Prasifka, J. R., J. D. Bradshaw, A. A. Boe, D. Lee, D. Adamski, and M. E. Gray. 2010. Symptoms, Distribution and Abundance of the Stem-Boring Caterpillar, *Blastobasis repartella* (Dietz), in Switchgrass. *Bioenergy Research* 3: 238-242.
- Prestidge, R. A. 1992. POPULATION BIOLOGY AND PARASITISM OF HESSIAN FLY (MAYETIOLA-DESTRUCTOR) (DIPTERA, CECIDOMYIIDAE) ON BROMUS-WILLDENOWII IN NEW-ZEALAND. *New Zealand Journal of Agricultural Research* 35: 423-428.
- Quinn, M. A., R. L. Kepner, D. D. Walgenbach, R. N. Foster, R. A. Bohls, P. D. Pooler, K. C. Reuter, and J. L. Swain. 1991. EFFECT OF HABITAT CHARACTERISTICS AND PERTURBATION FROM INSECTICIDES ON THE COMMUNITY DYNAMICS OF GROUND BEETLES (COLEOPTERA, CARABIDAE) ON MIXED-GRASS RANGELAND. *Environmental Entomology* 20: 1285-1294.
- Quinn, M. A., S. E. Halbert, and L. Williams. 1991. SPATIAL AND TEMPORAL CHANGES IN APHID (HOMOPTERA, APHIDIDAE) SPECIES ASSEMBLAGES

- COLLECTED WITH SUCTION TRAPS IN IDAHO. *Journal of Economic Entomology* 84: 1710-1716.
- Quinn, M. A., P. S. Johnson, C. H. Butterfield, and D. D. Walgenbach. 1993. EFFECT OF GRASSHOPPER (ORTHOPTERA, ACRIDIDAE) DENSITY AND PLANT COMPOSITION ON GROWTH AND DESTRUCTION OF GRASSES. *Environmental Entomology* 22: 993-1002.
- Quinn, M. A., D. D. Walgenbach, R. N. Foster, K. C. Reuter, and J. P. McCaffrey. 1995. TRITROPHIC ASSOCIATIONS BETWEEN SPIDER WASPS (HYMENOPTERA, POMPILIDAE), WOLF SPIDERS (ARANEAE, LYCOSIDAE), AND GRASSHOPPERS (ORTHOPTERA, ACRIDIDAE) ON MIXED-GRASS PRAIRIE. *Journal of the Kansas Entomological Society* 68: 7-19.
- Ram, K., D. S. Gruner, J. P. McLaughlin, E. L. Preisser, and D. R. Strong. 2008. Dynamics of a Subterranean Trophic Cascade in Space and Time, pp. 85-92.
- Rambo, J. L., and S. H. Faeth. 1999. Effect of vertebrate grazing on plant and insect community structure. *Conservation Biology* 13: 1047-1054.
- Randolph, T. L., F. B. Peairs, M. Koch, C. B. Walker, J. R. Stubbs, J. S. Quick, and S. D. Haley. 2005. Yield response and categories of resistance to Russian wheat aphid in four Dn4 hard red winter wheat cultivars. *Journal of Economic Entomology* 98: 588-594.
- Randolph, T. L., F. B. Peairs, S. Merrill, M. Koch, and C. B. Walker. 2007. Yield response to Russian wheat aphid (Homoptera : aphidiidae) in mixtures of resistant and susceptible winter wheats. *Southwestern Entomologist* 32: 7-15.
- Randolph, T. L., S. C. Merrill, and F. B. Peairs. 2008. Reproductive rates of Russian wheat aphid (Hemiptera : Aphidiidae) biotypes 1 and 2 on a susceptible and a resistant wheat at three temperature regimes. *Journal of Economic Entomology* 101: 955-958.
- Rao, S., W. P. Stephen, C. Kimoto, and S. J. DeBano. 2011. The Status of the 'Red-Listed' *Bombus occidentalis* (Hymenoptera: Apiformes) in Northeastern Oregon. *Northwest Science* 85: 64-67.
- Reece, P. E., J. E. Brummer, B. K. Northup, A. E. Koehler, and L. E. Moser. 2004. Interactions among Western ragweed and other sandhills species after drought. *Journal of Range Management* 57: 583-589.
- Reed, C. C. 1997. Responses of prairie insects and other arthropods to prescription burns. *Natural Areas Journal* 17: 380-385.
- Reed, A. W., G. A. Kaufman, and D. W. Kaufman. 2006. Effect of plant litter on seed predation in three prairie types. *American Midland Naturalist* 155: 278-285.
- Reeve, J. D., J. T. Cronin, and K. J. Haynes. 2008. Diffusion models for animals in complex landscapes: incorporating heterogeneity among substrates, individuals and edge behaviours. *Journal of Animal Ecology* 77: 898-904.
- Reeves, W. K., T. E. Rogers, and G. A. Dasch. 2007. Bartonella and Rickettsia from fleas (Siphonaptera : Ceratophyllidae) of prairie dogs (*Cynomys* spp.) from the western United States. *Journal of Parasitology* 93: 953-955.
- Reinert, J. A., and J. E. McCoy. 2010. FORAGING BY RED IMPORTED FIRE ANTS, SOLENOPSIS INVICTA (HYMENOPTERA; FORMICIDAE) ON TURFGRASSES. *Florida Entomologist* 93: 248-253.
- Rice, A. V., and D. W. Langor. 2009. Mountain pine beetle-associated blue-stain fungi in lodgepole x jack pine hybrids near Grande Prairie, Alberta (Canada). *Forest Pathology* 39: 323-334.

- Riley, T. Z., C. A. Davis, and R. A. Smith. 1993. AUTUMN AND WINTER FOODS OF THE LESSER PRAIRIE-CHICKEN (*TYMPANUCHUS-PALLIDICINCTUS*) (*GALLIFORMES, TETRAONIDAE*). Great Basin Naturalist 53: 186-189.
- Rintoul, D. A., L. M. Krueger, C. Woodard, and J. E. Throne. 2005. Carrion beetles (Coleoptera : Silphidae) of the Konza Prairie Biological Station. Journal of the Kansas Entomological Society 78: 124-133.
- Risch, A. C., M. F. Jurgensen, A. J. Storer, M. D. Hyslop, and M. Schutz. 2008. Abundance and distribution of organic mound-building ants of the *Formica rufa* group in Yellowstone National Park. Journal of Applied Entomology 132: 326-336.
- Ritchie, M. E. 2000. Nitrogen limitation and trophic vs. abiotic influences on insect herbivores in a temperate grassland. Ecology 81: 1601-1612.
- Robson, D. B. 2008. The structure of the flower-insect visitor system in tall-grass prairie. Botany-Botanique 86: 1266-1278.
- Roughley, R. E., D. A. Pollock, and D. J. Wade. 2006. Biodiversity of ground beetles (Coleoptera : Carabidae) and spiders (Araneae) across a tallgrass prairie - aspen forest ecotone in southern Manitoba. Canadian Entomologist 138: 545-567.
- Russell, F. L., and S. M. Louda. 2004. Phenological synchrony affects interaction strength of an exotic weevil with Platte thistle, a native host plant. Oecologia 139: 525-534.
- Russell, F. L., and S. M. Louda. 2005. Indirect interaction between two native thistles mediated by an invasive exotic floral herbivore. Oecologia 146: 373-384.
- Russell, F. L., S. M. Louda, T. A. Rand, and S. D. Kachman. 2007. Variation in herbivore-mediated indirect effects of an invasive plant on a native plant. Ecology 88: 413-423.
- Salkeld, D. J., and P. Stapp. 2008. Prevalence and abundance of fleas in black-tailed prairie dog burrows: Implications for the transmission of plague (*Yersinia pestis*). Journal of Parasitology 94: 616-621.
- Salkeld, D. J., and P. Stapp. 2008. No evidence of deer mouse involvement in plague (*Yersinia pestis*) epizootics in prairie dogs. Vector-Borne and Zoonotic Diseases 8: 331-337.
- Salvato, M. H., and H. L. Salvato. 2010. NOTES ON THE STATUS AND ECOLOGY OF STRYMON ACIS BARTRAMI (LYCAENIDAE) IN EVERGLADES NATIONAL PARK. Journal of the Lepidopterists Society 64: 154-160.
- Samu, F., F. Kadar, G. Onodi, M. Kertesz, A. Sziranyi, E. Szita, K. Fetyko, D. Neidert, E. Botos, and V. Altbacker. 2010. Differential ecological responses of two generalist arthropod groups, spiders and carabid beetles (Araneae, Carabidae), to the effects of wildfire. Community Ecology 11: 129-139.
- Sauer, S. B., and E. D. Maurer. 2001. Notes on the distribution, behavior and life history of *Attenuipyga vanduzeei* (Osborn & Ball) (Hemiptera : Cicadellidae) in Wisconsin. American Midland Naturalist 146: 434-438.
- Sauer, S. B. 2002. Midwestern occurrences of *Erythroneura carbonata* McAtee (Hemiptera : Cicadellidae) and host associations with species of *Lysimachia* (Primulaceae). Journal of the Kansas Entomological Society 75: 339-340.
- Sauer, S. B. 2009. NEW STATE RECORDS OF CHRYSOMELIDAE (COLEOPTERA) FOR WISCONSIN (USA), WITH NOTES ON SELECTED SPECIES AND SPECIAL

- ATTENTION TO POSSIBLE PRAIRIE-DEPENDENT FAUNA. Entomological News 120: 25-40.
- Scalercio, S. 2009. On top of a Mediterranean Massif: Climate change and conservation of orophilous moths at the southern boundary of their range (Lepidoptera: Macroheterocera). European Journal of Entomology 106: 231-239.
- Schaeffer, S., F. Baxendale, T. Heng-Moss, R. Sitz, G. Sarath, R. Mitchell, and R. Shearman. 2011. Characterization of the Arthropod Community Associated with Switchgrass (Poales: Poaceae) in Nebraska. Journal of the Kansas Entomological Society 84: 87-104.
- Schlicht, D., A. Swengel, and S. Swengel. 2009. Meta-analysis of survey data to assess trends of prairie butterflies in Minnesota, USA during 1979-2005. Journal of Insect Conservation 13: 429-447.
- Schiefer, T. L. 1998. Disjunct distribution of Cerambycidae (Coleoptera) in the black belt prairie and Jackson prairie in Mississippi and Alabama. Coleopterists Bulletin 52: 278-284.
- Schmidt, N. P., M. E. O'Neal, and L. A. S. Moore. 2011. Effects of Grassland Habitat and Plant Nutrients on Soybean Aphid and Natural Enemy Populations. Environmental Entomology 40: 260-272.
- Schmidtmann, E. T., M. E. Craig, L. M. English, and M. V. Herrero. 2002. Sampling for sand flies (Diptera : Psychodidae) among prairie dog colonies on ranches with histories of vesicular stomatitis in new Mexico and Colorado. Journal of Medical Entomology 39: 680-684.
- Schrey, N. M., J. D. Reeve, and F. E. Anderson. 2005. Mitochondrial DNA analysis of the bark beetle predator *Thanasimus dubius* F. (Coleoptera : Cleridae) reveals regional genetic differentiation. Molecular Ecology 14: 3317-3324.
- Schtickzelle, N., C. Turlure, and M. Baguette. 2007. Grazing management impacts on the viability of the threatened bog fritillary butterfly *Proclossiana eunomia*. Biological Conservation 136: 651-660.
- Schtickzelle, N., A. Joiris, H. Van Dyck, and M. Baguette. 2007. Quantitative analysis of changes in movement behaviour within and outside habitat in a specialist butterfly. Bmc Evolutionary Biology 7.
- Schultz, T. D. 2009. Diversity and Habitats of a Prairie Assemblage of Odonata at Lostwood National Wildlife Refuge, North Dakota. Journal of the Kansas Entomological Society 82: 91-102.
- Schultz, C. B., and K. M. Dlugosch. 1999. Nectar and hostplant scarcity limit populations of an endangered Oregon butterfly. Oecologia 119: 231-238.
- Schwartz, M. D., and G. M. Stonedahl. 2004. Revision of *Phoenicocoris reuteri* with descriptions of three new species from North America and a new genus from Japan (Heteroptera : Miridae : Phylinae). American Museum Novitates: 1-55.
- Schwert, D. P. 1996. Effect of Euro-American settlement on an insect fauna: Paleontological analysis of the recent chitin record of beetles (Coleoptera) from northeastern Iowa. Annals of the Entomological Society of America 89: 53-63.
- Scott, L., and B. Molano-Flores. 2007. Reproductive ecology of *Rudbeckia fulgida* ait. var. *sullivantii* (C. L. Boynt and Beadle) Cronq. (Asteraceae) in northeastern Illinois. Journal of the Torrey Botanical Society 134: 362-368.

- Seastedt, T. R., and M. V. Reddy. 1991. FIRE, MOWING AND INSECTICIDE EFFECTS ON SOIL STERNORRHYNCHA (HOMOPTERA) DENSITIES IN TALLGRASS PRAIRIE. *Journal of the Kansas Entomological Society* 64: 238-242.
- Seastedt, T. R., N. Gregory, and D. Buckner. 2003. Effect of biocontrol insects on diffuse knapweed (*Centaurea diffusa*) in a Colorado grassland. *Weed Science* 51: 237-245.
- Seery, D. B., D. E. Biggins, J. A. Montenieri, R. E. Enscore, D. T. Tanda, and K. L. Gage. 2003. Treatment of black-tailed prairie dog burrows with deltamethrin to control fleas (Insecta : Siphonaptera) and plague. *Journal of Medical Entomology* 40: 718-722.
- Severns, P. M. 2008. Exotic grass invasion impacts fitness of an endangered prairie butterfly, *Icaricia icarioides fenderi*. *Journal of Insect Conservation* 12: 651-661.
- Severns, P. M. 2011. Habitat restoration facilitates an ecological trap for a locally rare, wetland- restricted butterfly. *Insect Conservation and Diversity* 4: 184-191.
- Sharanowski, B. J., E. G. Walker, and G. S. Anderson. 2008. Insect succession and decomposition patterns on shaded and sunlit carrion in Saskatchewan in three different seasons. *Forensic Science International* 179: 219-240.
- Shuey, J. A. 1997. Conservation status and natural history of Mitchell's satyr, *Neonympha mitchellii mitchellii* French (Insecta: Lepidoptera: Nymphalidae). *Natural Areas Journal* 17: 153-163.
- Shuey, J. A. 2005. Assessing the conservation value of a complementary system of habitat reserves relative to butterfly species at risk and divergent populations, pp. 110-120.
- Siemann, E., J. Haarstad, and D. Tilman. 1997. Short-term and long-term effects of burning on oak savanna arthropods. *American Midland Naturalist* 137: 349-361.
- Siemann, E., D. Tilman, J. Haarstad, and M. Ritchie. 1998. Experimental tests of the dependence of arthropod diversity on plant diversity. *American Naturalist* 152: 738-750.
- Siemann, E., and W. E. Rogers. 2006. Recruitment limitation, seedling performance and persistence of exotic tree monocultures. *Biological Invasions* 8: 979-991.
- Simonsen, T. J., J. J. Dombroskie, and G. R. Pohl. 2009. MELITARA WALKER (PYRALIDAE) IN WESTERN CANADA: THE DOCUMENTATION OF M-SUBUMBRELLA (DYAR) IN THE PRAIRIE PROVINCES DEMONSTRATES THE VALUE OF REGIONAL COLLECTIONS AND SPECIES LISTS. *Journal of the Lepidopterists Society* 63: 31-36.
- Smith, D. M., J. F. Kelly, and D. M. Finch. 2006. Cicada emergence in Southwestern riparian forest: Influences of wildfire and vegetation composition. *Ecological Applications* 16: 1608-1618.
- Smith, J. J., and S. T. Hasiotis. 2008. Traces and burrowing behaviors of the cicada nymph *Cicadetta calliope*: Neoichnology and paleoecological significance of extant soil-dwelling insects. *Palaios* 23: 503-513.
- Smith, R. F., L. C. Alexander, and W. O. Lamp. 2009. Dispersal by terrestrial stages of stream insects in urban watersheds: a synthesis of current knowledge. *Journal of the North American Bentholological Society* 28: 1022-1037.
- Soroka, J. J., L. M. Dosdall, O. O. Olfert, and E. Seidle. 2004. Root maggots (Delia spp., Diptera : Anthomyiidae) in prairie canola (*Brassica napus* L. and B-rapa L.): Spatial and temporal surveys of

- root damage and prediction of damage levels. Canadian Journal of Plant Science 84: 1171-1182.
- Spears, B. M., D. N. Ueckert, and T. L. Whigham. 1975. DESERT TERMITE ISOPTERA-TERMITIDAE CONTROL IN A SHORTGRASS PRAIRIE - EFFECT ON SOIL PHYSICAL-PROPERTIES. Environmental Entomology 4: 899-904.
- St Pierre, M. J., and S. D. Hendrix. 2003. Movement patterns of *Rhyssomatus lineaticollis* Say (Coleoptera : Curculionidae) within and among *Asclepias syriaca* (Asclepiadaceae) patches in a fragmented landscape. Ecological Entomology 28: 579-586.
- St Pierre, M. J., S. D. Hendrix, and C. K. Lewis. 2005. Dispersal ability and host-plant characteristics influence spatial population structure of monophagous beetles. Ecological Entomology 30: 105-115.
- Stagliano, D. M., and M. R. Whiles. 2002. Macroinvertebrate production and trophic structure in a tallgrass prairie headwater stream. Journal of the North American Benthological Society 21: 97-113.
- Stagliano, D. M., and M. R. Whiles. 2008. Life history and production of the riffle beetle, *Stenelmis crenata* (Say, 1824) (Coleoptera : Elmidae), in a tallgrass prairie stream. Aquatic Insects 30: 197-204.
- Stapp, P. 1997. Small mammal predation on darkling beetles (Coleoptera: Tenebrionidae) in pitfall traps. Southwestern Naturalist 42: 352-355.
- Stapp, P. 1997. Microhabitat use and community structure of darkling beetles (Coleoptera:Tenebrionidae) in shortgrass prairie: Effects of season, shrub cover and soil type. American Midland Naturalist 137: 298-311.
- Stasek, D. J., C. Bean, and T. O. Crist. 2008. Butterfly abundance and movements among prairie patches: The roles of habitat quality, edge, and forest matrix permeability. Environmental Entomology 37: 897-906.
- Stevens, G. N., and R. H. Jones. 2006. Patterns in soil fertility and root herbivory interact to influence fine-root dynamics. Ecology 87: 616-624.
- Stevenson, H. L., Y. Bai, M. Y. Kosoy, J. A. Montenieri, J. L. Lowell, M. C. Chu, and K. L. Gage. 2003. Detection of novel *Bartonella* strains and *Yersinia pestis* in prairie dogs and their fleas (Siphonaptera : ceratophyllidae and pulicidae) using multiplex polymerase chain reaction. Journal of Medical Entomology 40: 329-337.
- Stoaks, R. D. 2000. Foraging interactions at a hummingbird feeder : conflicts of the Anna hummingbird (Aves : Trochilidae) and the prairie yellowjacket (Hymenoptera : Vespidae). Sociobiology 35: 49-62.
- Stone, M. L., M. R. Whiles, J. A. Webber, K. W. J. Williard, and J. D. Reeve. 2005. Macroinvertebrate communities in agriculturally impacted southern Illinois streams: Patterns with riparian vegetation, water quality, and in-stream habitat quality. Journal of Environmental Quality 34: 907-917.
- Stoner, K. J. L., and A. Joern. 2004. Landscape vs. local habitat scale influences to insect communities from tallgrass prairie remnants. Ecological Applications 14: 1306-1320.
- Summerville, K. S., A. C. Bonte, and L. C. Fox. 2007. Short-term temporal effects on community structure of Lepidoptera in restored and remnant tallgrass prairies. Restoration Ecology 15: 179-188.

- Summerville, K. S. 2008. Species diversity and persistence in restored and remnant tallgrass prairies of North America: a function of species' life history, habitat type, or sampling bias? *Journal of Animal Ecology* 77: 487-494.
- Sun, L., J. M. Webb, and W. P. McCafferty. 2002. *Cercobrachys cree*: A new species (Ephemeroptera : Caenidae) from Western North America. *Entomological News* 113: 80-86.
- Swengel, A. B., and S. R. Swengel. 2001. Effects of prairie and barrens management on butterfly faunal composition. *Biodiversity and Conservation* 10: 1757-1785.
- Swengel, A. B. 2001. A literature review of insect responses to fire, compared to other conservation managements of open habitat. *Biodiversity and Conservation* 10: 1141-1169.
- Swengel, A. B., and S. R. Swengel. 2007. Benefit of permanent non-fire refugia for Lepidoptera conservation in fire-managed sites. *Journal of Insect Conservation* 11: 263-279.
- Swengel, A. B., and S. R. Swengel. 2010. The butterfly fauna of Wisconsin bogs: lessons for conservation. *Biodiversity and Conservation* 19: 3565-3581.
- Swengel, A. B., and S. R. Swengel. 2011. High and dry or sunk and dunked: lessons for tallgrass prairies from quaking bogs. *Journal of Insect Conservation* 15: 165-178.
- Swengel, S. R., D. Schlicht, F. Olsen, and A. B. Swengel. 2011. Declines of prairie butterflies in the midwestern USA. *Journal of Insect Conservation* 15: 327-339.
- Takahashi, M., S. M. Louda, T. E. X. Miller, and C. W. O'Brien. 2009. Occurrence of *Trichosirocalus horridus* (Coleoptera: Curculionidae) on Native *Cirsium altissimum* Versus Exotic *C. vulgare* in North American Tallgrass Prairie. *Environmental Entomology* 38: 731-740.
- Taranu, Z. E., D. Koster, R. I. Hall, T. Charette, F. Forrest, L. C. Cwynar, and I. Gregory-Eaves. 2010. Contrasting responses of dimictic and polymictic lakes to environmental change: a spatial and temporal study. *Aquatic Sciences* 72: 97-115.
- Teel, P. D., S. W. Hopkins, W. A. Donahue, and O. F. Strey. 1998. Population dynamics of immature *Amblyomma maculatum* (Acari : Ixodidae) and other ectoparasites on meadowlarks and northern bobwhite quail resident to the coastal prairie of Texas. *Journal of Medical Entomology* 35: 483-488.
- Theodoratus, D. H., and M. D. Bowers. 1999. Effects of sequestered iridoid glycosides on prey choice of the prairie wolf spider, *Lycosa carolinensis*. *Journal of Chemical Ecology* 25: 283-295.
- Thiagarajan, B., Y. Bai, K. L. Gage, and J. F. Cully. 2008. Prevalence of *Yersinia pestis* in rodents and fleas associated with black-tailed prairie dogs (*Cynomys ludovicianus*) at Thunder Basin National Grassland, Wyoming. *Journal of Wildlife Diseases* 44: 731-736.
- Thiagarajan, B., J. F. Cully, T. M. Loughlin, J. A. Montenieri, and K. L. Gage. 2008. Geographic variation in rodent-flea relationships in the presence of black-tailed prairie dog colonies. *Journal of Vector Ecology* 33: 178-190.
- Thom, E. R., R. A. Prestidge, D. D. Wildermoth, M. J. Taylor, and S. L. Marshall. 1992. EFFECT OF HESSIAN FLY (MAYETIOLA-DESTRUCTOR) ON PRODUCTION AND PERSISTENCE OF PRAIRIE GRASS (BROMUS-WILLDENOWII) WHEN ROTATIONALLY GRAZED BY DAIRY-COWS. *New Zealand Journal of Agricultural Research* 35: 75-82.

- Thompson, P. H., R. R. Blume, and A. Aga. 1977. TABANIDAE (DIPTERA) OF TEXAS .6. COASTAL PRAIRIE SPECIES, VICTORIA COUNTY. Proceedings of the Entomological Society of Washington 79: 266-269.
- Timoney, K. P. 2003. The changing disturbance regime of the boreal forest of the Canadian Prairie Provinces, pp. 502-516.
- Tinerella, P. P., and D. A. Rider. 2001. New records of five ground beetles (Coleoptera : Carabidae) from tallgrass prairie remnants in western Minnesota. Entomological News 112: 319-322.
- Tonietto, R., J. Fant, J. Ascher, K. Ellis, and D. Larkin. 2011. A comparison of bee communities of Chicago green roofs, parks and prairies. Landscape and Urban Planning 103: 102-108.
- Tooker, J. F., and L. M. Hanks. 2000. Flowering plant hosts of adult Hymenopteran parasitoids of central Illinois. Annals of the Entomological Society of America 93: 580-588.
- Tooker, J. F., W. A. Koenig, and L. M. Hanks. 2002. Altered host plant volatiles are proxies for sex pheromones in the gall wasp *Antistrophus rufus*. Proceedings of the National Academy of Sciences of the United States of America 99: 15486-15491.
- Tooker, J. F., and L. M. Hanks. 2004. Endophytic insect communities of two prairie perennials (Asteraceae : *Silphium* spp.). Biodiversity and Conservation 13: 2551-2566.
- Tooker, J. F., and L. M. Hanks. 2004. Trophic position of the endophytic beetle, *Mordellistena aethiops* Smith (Coleoptera : Mordellidae). Environmental Entomology 33: 291-296.
- Tooker, J. F., and L. M. Hanks. 2004. Impact of prescribed burning on endophytic insect communities of prairie perennials (Asteraceae : *Silphium* spp.). Biodiversity and Conservation 13: 1875-1888.
- Tooker, J. F., A. L. Crumrin, and L. M. Hanks. 2005. Plant volatiles are behavioral cues for adult females of the gall wasp *Antistrophus rufus*. Chemoecology 15: 85-88.
- Tooker, J. F., and L. M. Hanks. 2006. Tritrophic interactions and reproductive fitness of the prairie perennial *Silphium laciniatum* Gillette (Asteraceae). Environmental Entomology 35: 537-545.
- Tscharntke, T., and H. J. Greiler. 1995. INSECT COMMUNITIES, GRASSES, AND GRASSLANDS. Annual Review of Entomology 40: 535-558.
- Tuell, J. K., A. K. Fiedler, D. Landis, and R. Isaacs. 2008. Visitation by wild and managed bees (Hymenoptera : Apoidea) to eastern US native plants for use in conservation programs. Environmental Entomology 37: 707-718.
- Turnock, W. J., G. Boivin, and J. W. Whistlecraft. 1995. PARASITISM OF OVERWINTERING PUPARIA OF THE CABBAGE MAGGOT, *DELIA-RADICUM* (L) (DIPTERA, ANTHOMYIIDAE), IN RELATION TO HOST DENSITY AND WEATHER FACTORS. Canadian Entomologist 127: 535-542.
- Ueckert, D. N., M. C. Bodine, and B. M. Spears. 1976. POPULATION-DENSITY AND BIOMASS OF DESERT TERMITE *GNATHAMITERMES-TUBIFORMANS* (ISOPTERA-TERMITIDAE) IN A SHORTGRASS PRAIRIE - RELATIONSHIP TO TEMPERATURE AND MOISTURE. Ecology 57: 1273-1280.
- Ulmer, B., and L. M. Dosdall. 2006. Emergence of overwintered and new generation adults of the crucifer flea beetle, *Phyllotreta cruciferae* (Goeze) (Coleoptera : Chrysomelidae). Crop Protection 25: 23-30.
- Varchola, J. M., and J. P. Dunn. 1999. Changes in ground beetle (Coleoptera : Carabidae) assemblages in farming systems bordered by

- complex or simple roadside vegetation. *Agriculture Ecosystems & Environment* 73: 41-49.
- Vankosky, M. A., H. A. Carcamo, and L. M. Dosdall. 2011. Response of *Pisum sativum* (Fabales: Fabaceae) to *Sitona lineatus* (Coleoptera: Curculionidae) Infestation: Effect of Adult Weevil Density on Damage, Larval Population, and Yield Loss. *Journal of Economic Entomology* 104: 1550-1560.
- Vermeire, L. T., R. B. Mitchell, S. D. Fuhlendorf, and D. B. Wester. 2004. Selective control of rangeland grasshoppers with prescribed fire. *Journal of Range Management* 57: 29-33.
- Vinnersten, T. Z. P., J. O. Lundstrom, E. Petersson, and J. Landin. 2009. Diving beetle assemblages of flooded wetlands in relation to time, wetland type and Bti-based mosquito control. *Hydrobiologia* 635: 189-203.
- Vogel, J. A., D. M. Debinski, R. R. Koford, and J. R. Miller. 2007. Butterflal, responses to prairie restoration through fire and grazing. *Biological Conservation* 140: 78-90.
- Ward, N. L., and G. J. Masters. 2007. Linking climate change and species invasion: an illustration using insect herbivores. *Global Change Biology* 13: 1605-1615.
- Warriner, M. D. 2004. First Arkansas record of the robber fly *Microstylum morosum* (Diptera : Asilidae). *Southwestern Naturalist* 49: 83-84.
- Weathersbee, A. A., and M. V. Meisch. 1991. PAROUS AND SURVIVAL RATE ESTIMATES FOR ANOPHELES-QUADRIMACULATUS (DIPTERA, CULICIDAE) IN THE ARKANSAS GRAND PRAIRIE. *Environmental Entomology* 20: 1595-1600.
- Weber, P. G., S. Preston, M. J. Dlugos, and A. P. Nelson. 2008. The effects of field mowing on adult butterfly assemblages in Central New York State. *Natural Areas Journal* 28: 130-143.
- Werling, B. P., T. D. Meehan, C. Gratton, and D. A. Landis. 2011. Influence of habitat and landscape perenniability on insect natural enemies in three candidate biofuel crops. *Biological Control* 59: 304-312.
- Westcott, N. D., Y. W. Lee, and J. F. Doane. 1980. DETERMINATION OF CARBON-DIOXIDE PRODUCTION BY PRAIRIE GRAIN WIREWORM (COLEOPTERA, ELATERIDAE) AND GERMINATING WHEAT SEEDS USING MASS FRAGMENTOGRAPHY. *Journal of Economic Entomology* 73: 561-563.
- Westerman, P. R., J. K. Borza, J. Andjelkovic, M. Liebman, and B. Danielson. 2008. Density-dependent predation of weed seeds in maize fields. *Journal of Applied Ecology* 45: 1612-1620.
- Wheeler, A. G. 1996. *Ischnodemus falicus* (Heteroptera: Lygaeidae): First record from ornamental grasses, and seasonality on prairie cordgrass in Pennsylvania. *Proceedings of the Entomological Society of Washington* 98: 195-198.
- Wheeler, A. G. 2011. FOUR HOLARCTIC PLANT BUGS (HEMIPTERA: MIRIDAE) ASSOCIATED WITH CAREX UTRICULATA (CYPERACEAE) IN MONTANE GRASSLANDS OF VALLES CALDERA, NEW MEXICO: SOUTHERNMOST U.S. RECORDS AND NOTES ON SEASONALITY. *Proceedings of the Entomological Society of Washington* 113: 203-217.
- Whiles, M. R., B. S. Goldowitz, and R. E. Charlton. 1999. Life history and production of a semi-terrestrial limnephilid caddisfly in an intermittent Platte River wetland. *Journal of the North American Benthological Society* 18: 533-544.
- Whiles, M. R., M. A. Callaham, C. K. Meyer, B. L. Brock, and R. E. Charlton. 2001. Emergence of periodical cicadas (*Magicicada*

- cassini) from a Kansas riparian forest: Densities, biomass and nitrogen flux. *American Midland Naturalist* 145: 176-187.
- Whiles, M. R., and R. E. Charlton. 2006. The ecological significance of tallgrass prairie arthropods. *Annual Review of Entomology* 51: 387-412.
- White, C. R. 2005. The allometry of burrow geometry. *Journal of Zoology* 265: 395-403.
- Whiteman, N., and R. W. Sites. 2001. Aquatic Polyphaga (Coleoptera) state records from the Missouri Prairie Region. *Journal of the Kansas Entomological Society* 74: 101-105.
- Whiteman, N. K., and R. W. Sites. 2003. Lentic beetles of the Missouri Prairie Region: Habitat and regional associations, with keys to the hydadeephaga. *Transactions of the American Entomological Society* 129: 185-243.
- Whitfield, J. B., and C. N. Lewis. 2001. Analytical survey of the braconid wasp fauna (Hymenoptera : Braconidae) on six midwestern US tallgrass prairies. *Annals of the Entomological Society of America* 94: 230-238.
- Wiens, J. A., R. L. Schooley, and R. D. Weeks. 1997. Patchy landscapes and animal movements: Do beetles percolate? *Oikos* 78: 257-264.
- Wilder, A. P., R. J. Eisen, S. W. Bearden, J. A. Montenieri, D. W. Tripp, R. J. Brinkerhoff, K. L. Gage, and M. F. Antolin. 2008. Transmission efficiency of two flea species (*Oropsylla tuberculata cynomuris* and *Oropsylla hirsuta*) involved in plague epizootics among prairie dogs. *Ecohealth* 5: 205-212.
- Wilder, A. P., R. J. Eisen, S. W. Bearden, J. A. Montenieri, K. L. Gage, and M. F. Antolin. 2008. *Oropsylla hirsuta* (Siphonaptera : Ceratophyllidae) can support plague epizootics in black-tailed prairie dogs (*Cynomys ludovicianus*) by early-phase transmission of *Yersinia pestis*. *Vector-Borne and Zoonotic Diseases* 8: 359-367.
- Williams, A. H., and N. L. Kriska. 2001. Notes on the biology of *Melanocanthon nigricornis* (Coleoptera : Scarabaeidae). *Great Lakes Entomologist* 34: 129-131.
- Williams, M. A., and J. T. Cronin. 2004. Response of a gall-forming guild (Hymenoptera : Cynipidae) to stressed and vigorous prairie roses. *Environmental Entomology* 33: 1052-1061.
- Williams, C. S., and T. H. Bonner. 2006. Habitat associations, life history and diet of the Sabine shiner *Notropis sabinae* in an east Texas drainage. *American Midland Naturalist* 155: 84-102.
- Williams, M. R. 2008. Assessing Diversity of Diurnal Lepidoptera in Habitat Fragments: Testing the Efficiency of Strip Transects. *Environmental Entomology* 37: 1313-1322.
- Willand, J. E., B. R. Wodika, J. Palmer, S. E. Jenkins, and K. W. McCravy. 2011. Diversity of Ground Beetles (Coleoptera: Carabidae) in Relation to Habitat Type in West-Central Illinois. *American Midland Naturalist* 166: 266-282.
- Williams, D. J., and D. W. Langor. 2011. Distribution, species composition, and incidence of egg parasitoids of the forest tent caterpillar (Lepidoptera: Lasiocampidae), during a widespread outbreak in the Canadian prairies. *Canadian Entomologist* 143: 272-278.
- Wilson, S. W., J. L. Smith, and P. D. Calvert. 1993. Planthoppers of a Missouri tallgrass prairie (Homoptera, Fulgoroidea). *Journal of the Kansas Entomological Society* 66: 75-80.

- Wilson, M. V., T. Erhart, P. C. Hammond, T. N. Kaye, K. Kuykendall, A. Liston, A. F. Robinson, C. B. Schultz, and P. M. Severns. 2003. Biology of Kincaid's lupine (*Lupinus sulphureus* ssp *kincaidii* [Smith] phillips), a threatened species of western Oregon native prairies, USA. *Natural Areas Journal* 23: 72-83.
- Wilson, T. A., and B. E. Hibbard. 2004. Host suitability of nonmaize agroecosystem grasses for the western corn rootworm (Coleoptera : Chrysomelidae). *Environmental Entomology* 33: 1102-1108.
- Woods, S. M., N. D. G. White, and R. N. Sinha. 1997. Simulation of generation times of the rusty grain beetle, *Cryptolestes ferrugineus*, in farm-stored grain in the Canadian prairies, 1952-1990. *Researches on Population Ecology* 39: 47-56.
- Wrubleski, D. A., and D. M. Rosenberg. 1990. The Chironomidae (Diptera) of Bone Pile Pond, Delta-Marsh, Manitoba, Canada. *Wetlands* 10: 243-275.
- Wrubleski, D. A. 2005. Chironomidae (Diptera) responses to the experimental flooding of prairie marshes. *Wetlands* 25: 200-209.
- Wyckhuys, K. A. G., R. L. Koch, and G. E. Heimpel. 2007. Physical and ant-mediated refuges from parasitism: Implications for non-target effects in biological control. *Biological Control* 40: 306-313.
- Wyckhuys, K. A. G., R. L. Koch, R. R. Kula, and G. E. Heimpel. 2009. Potential exposure of a classical biological control agent of the soybean aphid, *Aphis glycines*, on non-target aphids in North America. *Biological Invasions* 11: 857-871.
- Yee, D. A., and S. H. Yee. 2007. Nestedness patterns of container-dwelling mosquitoes: effects of larval habitat within variable terrestrial matrices. *Hydrobiologia* 592: 373-385.
- Young, D. K. 1995. Remnant dependence among prairie-inhabiting and savanna-inhabiting insects. *Natural Areas Journal* 15: 290-292.
- Zimmer, K. D., M. A. Hanson, and M. G. Butler. 2001. Effects of fathead minnow colonization and removal on a prairie wetland ecosystem. *Ecosystems* 4: 346-357.
- Zimmer, K. D., M. A. Hanson, and M. G. Butler. 2002. Effects of fathead minnows and restoration on prairie wetland ecosystems. *Freshwater Biology* 47: 2071-2086.
- Zrum, L., and B. J. Hann. 2002. Invertebrates associated with submersed macrophytes in a prairie wetland: Effects of organophosphorus insecticide and inorganic nutrients. *Archiv Fur Hydrobiologie* 154: 413-445.